

CHAPTER 3

FISH AND CRUSTACEANS, MOLLUSCS AND OTHER AQUATIC INVERTEBRATES

Notes.

1. This Chapter does not cover:
 - (a) Mammals of heading 01.06;
 - (b) Meat of mammals of heading 01.06 (heading 02.08 or 02.10);
 - (c) Fish (including **livers, roes and milt thereof**) or crustaceans, molluscs or other aquatic invertebrates, dead and unfit or unsuitable for human consumption by reason of either their species or their condition (Chapter 5); flours, meals or pellets of fish or of crustaceans, molluscs or other aquatic invertebrates, unfit for human consumption (heading 23.01); or
 - (d) Caviar or caviar substitutes prepared from fish eggs (heading 16.04).
2. In this Chapter the term "**pellets**" means products which have been agglomerated either directly by compression or by the addition of a small quantity of binder.

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
03.01		Live Fish						
		-Ornamental fish:						
		--Freshwater:						
0301.11.10	00	---For breeding	0%	0%	0%	0%		No/lb
0301.11.90	00	---Other	40%	0%	24%	40%		No/lb
		--Other:						
0301.19.10	00	---For breeding	0%	0%	0%	0%		No/lb
0301.19.90	00	---Other	40%	0%	24%	40%		No/lb
		-Other live fish:						
0301.91.00	00	--Trout (<i>Salmo trutta</i> , <i>Oncorhynchus mykiss</i> , <i>Oncorhynchus clarki</i> , <i>Oncorhynchus aguabonita</i> , <i>Oncorhynchus gilae</i> , <i>Oncorhynchus apache</i> and <i>Oncorhynchus chrysogaster</i>)	40%	0%	27%	40%		lb
0301.92.00	00	--Eels (<i>Anguilla</i> spp.)	40%	0%	27%	40%		lb
0301.93.00	00	--Carp (<i>Cyprinus</i> spp., <i>Carassius</i> spp, <i>Ctenopharyngodon idellus</i> , <i>Hypophthalmichthys</i> spp., <i>Cirrhinus</i> spp., <i>Mylopharyngodon piceus</i> , <i>Catla catla</i> , <i>Labeo</i> spp., <i>Osteochilus hasselti</i> , <i>Leptobarbus hoeveni</i> , <i>Megalobrama</i> spp.)	40%	0%	27%	40%		lb
0301.94.00	00	--Atlantic and Pacific bluefin tunas (<i>Thunnus thynnus</i> , <i>Thunnus orientalis</i>)	40%	0%	27%	40%		lb
0301.95.00	00	--Southern bluefin tunas (<i>Thunnus maccoyii</i>)	40%	0%	27%	40%		lb
		--Other:						
0301.99.10	00	---For breeding	0%	0%	0%	0%		lb
0301.99.90	00	--Other	40%	0%	27%	40%		lb
03.02		Fish, fresh or chilled, excluding fish fillets and other fish meat of heading 03.04						
		- <i>Salmonidae</i> , excluding edible fish offal of subheading 0302.91 to 0302.99:						

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0302.11.00	00	--Trout (<i>Salmo trutta</i> , <i>Oncorhynchus mykiss</i> , <i>Oncorhynchus clarki</i> , <i>Oncorhynchus aguabonita</i> , <i>Oncorhynchus gilae</i> , <i>Oncorhynchus apache</i> and <i>Oncorhynchus chrysogaster</i>)	40%	0%	40%	40%		lb
0302.13.00	00	--Pacific salmon (<i>Oncorhynchus nerka</i> , <i>Oncorhynchus gorbusha</i> , <i>Oncorhynchus keta</i> , <i>Oncorhynchus tshawytscha</i> , <i>Oncorhynchus kisutch</i> , <i>Oncorhynchus masou</i> and <i>Oncorhynchus rhodurus</i>)	40%	0%	40%	40%		lb
0302.14.00	00	--Atlantic salmon (<i>Salmo salar</i>) and Danube salmon (<i>Hucho hucho</i>)	40%	0%	40%	40%		lb
0302.19.00	00	--Other -Flat fish (<i>Pleuronectidae</i> , <i>Bothidae</i> , <i>Cynoglossidae</i> , <i>Soleidae</i> , <i>Scophthalmidae</i> , and <i>Citharidae</i>), excluding edible fish offal of subheadings 0302.91 to 0302.99:	40%	0%	40%	40%		lb
0302.21.00	00	--Halibut (<i>Reinhardtius hippoglossoides</i> , <i>Hippoglossus hippoglossus</i> , <i>Hippoglossus stenolepis</i>)	40%	0%	40%	40%		lb
0302.22.00	00	--Plaice (<i>Pleuronectes platessa</i>)	40%	0%	40%	40%		lb
0302.23.00	00	--Soles (<i>Solea spp.</i>)	40%	0%	40%	40%		lb
0302.24.00	00	--Turbot (<i>Psetta maxima</i>)	40%	0%	40%	40%		lb
0302.29.00	00	--Other -Tunas (of the genus <i>Thunnus</i>), skipjack or stripe-bellied bonito (<i>Euthynnus (Katsuwonus) pelamis</i>), excluding edible fish offal of subheading 0302.91 to 0302.99 :	40%	0%	40%	40%		lb
		--Albacore or longfinned tunas (<i>Thunnus Alalunga</i>):						
0302.31.10	00	---For processing	0%	0%	0%	0%		lb
0302.31.90	00	---Other	40%	0%	40%	40%		lb
		--Yellowfin tunas (<i>Thunnus albacares</i>):						
0302.32.10	00	---For processing	0%	0%	0%	0%		lb
0302.32.90	00	---Other	40%	0%	40%	40%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0302.33.00	00	--Skipjack or stripe-bellied bonito	40%	0%	40%	40%		lb
0302.34.00	00	--Bigeye tunas (<i>Thunnus obesus</i>)	40%	0%	40%	40%		lb
0302.35.00	00	--Atlantic and Pacific Bluefin tunas (<i>Thunnus thynnus</i> , <i>Thunnus orientalis</i>)	40%	0%	40%	40%		lb
0302.36.00	00	--Southern bluefin tunas (<i>Thunnus maccoyii</i>)	40%	0%	40%	40%		lb
0302.39.00	00	--Other -Herrings (<i>Clupea harengus</i> , <i>Clupea pallasii</i>), anchovies (<i>Engraulis</i> spp.), sardines (<i>Sardina pilchardus</i> , <i>Sardinops</i> spp.), sardinella (<i>Sardinella</i> spp.), brisling or sprats (<i>Sprattus sprattus</i>), mackerel (<i>Scomber scombrus</i> , <i>Scomber australasicus</i> , <i>Scomber japonicus</i>), Indian mackerels (<i>Rastrelliger</i> spp.), seerfishes (<i>Scomberomorus</i> spp.) jack and horse mackerel (<i>Trachurus</i> spp.), jacks, crevalles (<i>Caranx</i> spp.) cobia (<i>Rachycentron canadum</i>) silver pomfrets (<i>Pampus</i> spp.) , Pacific saury (<i>Coloblabis saira</i>), scads (<i>Decapterus</i> spp.) capelin (<i>Mallotus villosus</i>) , swordfish (<i>Xiphias gladius</i>), Kawakawa (<i>Euthynnus affinis</i>) , bonitos (<i>sarda</i> spp.), marlins, sailfishes, spearfish (<i>Istiophoridae</i>), excluding edible fish offal of subheadings 0302.91 to 0302.99:	40%	0%	40%	40%		lb
0302.41.10	00	--Herrings (<i>Clupea harengus</i> , <i>Clupea pallasii</i>)						
		---For Processing	0%	0%	0%	0%		lb
0302.41.20	00	---Other	40%	0%	40%	40%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0302.42.00	00	--Anchovies (<i>Engraulis spp.</i>) --Sardines (<i>Sardina pilchardus</i> , <i>Sardinops spp.</i>), sardinella (<i>Sardinella spp.</i>), brisling or sprats (<i>Sprattus sprattus</i>)	40%	0%	40%	40%		lb
0302.43.10	00	---For processing	0%	0%	0%	0%		lb
0302.43.90	00	---Other --Mackerel (<i>Scomber scombrus</i> , <i>Scomber australasicus</i> , <i>Scomber japonicus</i>)	40%	0%	40%	40%		lb
0302.44.10	00	---For processing	0%	0%	0%	0%		lb
0302.44.90	00	---Other	40%	0%	40%	40%		lb
0302.45.00	00	--Jack and horse mackerel (<i>Trachurus spp</i>)	40%	0%	40%	40%		lb
0302.46.00	00	--Cobia (<i>Rachycentron canadum</i>)	40%	0%	40%	40%		lb
0302.47.00	00	--Swordfish (<i>Xiphias gladius</i>) --Other	40%	0%	40%	40%		lb
0302.49.10	00	---Alewives and saithe, for processing	0%	0%	40%	40%		lb
0302.49.90	00	---Other - Fish of the families <i>Bregmacerotidae</i> , <i>Euclichthyidae</i> , <i>Gadidae</i> , <i>Macrouridae</i> , <i>Melanonidae</i> , <i>Merlucciidae</i> , <i>Moridae</i> , and <i>Muraenolepididae</i> , excluding edible fish off of subheadings 0302.91 to 0302.99: --Cod (<i>Gadus morhua</i> , <i>Gadus ogac</i> , <i>Gadus macrocephalus</i>)	40%	0%	40%	40%		lb
0302.51.10	00	---For processing	0%	0%	0%	0%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0302.51.90	00	---Other --Haddock (<i>Melanogrammus aeglefinus</i>)	40%	0%	40%	40%		lb
0302.52.10	00	---For processing	0%	0%	0%	0%		lb
0302.52.90	00	---Other	40%	0%	40%	40%		lb
0302.53.00	00	--Coalfish (<i>Pollachius virens</i>) --Hake (<i>Merluccius spp., Urophycis spp.</i>)	40%	0%	40%	40%		lb
0302.54.10	00	---For processing	0%	0%	0%	0%		lb
0302.54.90	00	---Other --Alaska Pollack (<i>Theragra chalcogramma</i>)	40%	0%	40%	40%		lb
0302.55.10	00	---For processing	0%	0%	0%	0%		lb
0302.55.90	00	---Other	40%	0%	40%	40%		lb
0302.56.00	00	--Blue Whittings (<i>Micromesistius poutassou, Micromesistius australis</i>)	40%	0%	40%	40%		lb
0302.59.00	00	--Other	40%	0%	40%	40%		lb
		-Tilapias (<i>Oreochromis spp.</i>), catfish (<i>Pangasius spp., Silurus spp., Clarias spp., Ictalurus spp.</i>), carp (<i>Cyprinus spp., Carassius spp., Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., mylopharyngodon piceus, Catla catla, Labeo spp.</i>) <i>Osteochilus hasselti, Leptobarbus hoeveni, Megalobrama spp.</i>), eels (<i>Anguilla spp.</i>) Nile perch (<i>lates niloticus</i>) and snakeheads (<i>channa spp.</i>), excluding edible fish offal of subheadings 0302.91 to 0302.99 :						
0302.71.00	00	--Tilapias (<i>Oreochromis spp.</i>)	40%	0%	40%	40%		lb
0302.72.00	00	--Catfish (<i>Pangasius spp., Silurus spp., Clarias spp., Ictalurus spp.</i>)	40%	0%	40%	40%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0302.73.00	00	--Carp (<i>Cyprinus</i> spp., <i>Carassius</i> spp., <i>Ctenopharyngodon idellus</i> , <i>Hypophthalmichthys</i> spp., <i>Cirrhinus</i> spp., <i>Mylopharyngodon piceus</i> , <i>Catla catla</i> , <i>Labeo</i> spp. <i>Osteochilus hasselti</i> , <i>Leptobarbus hoeveni</i> , <i>Megalobrama</i> spp.)	40%	0%	40%	40%		lb
0302.74.00	00	--Eels (<i>Anguilla</i> spp.)	40%	0%	40%	40%		lb
0302.79.00	00	--Other -Other fish, excluding edible fish offal of subheadings 0302.91 to 0302.99:	40%	0%	40%	40%		lb
0302.81.00	00	--Dogfish and other sharks	40%	0%	40%	40%		lb
0302.82.00	00	--Rays and Skates (<i>Rajidae</i>)	40%	0%	40%	40%		
0302.83.00	00	--Toothfish (<i>Dissostichus</i> spp.)	40%	0%	40%	40%		lb
0302.84.00	00	--Seabass (<i>Dicentrarchus</i> spp.)	40%	0%	40%	40%		lb
0302.85.00	00	--Seabream (<i>Sparidae</i>) --Other :	40%	0%	40%	40%		lb
0302.89.10	00	---Alewives and saithe, for processing	0%	0%	0%	0%		lb
0302.89.20	00	---Snapper, croaker, grouper, dolphinfish (<i>mahi-mahi</i> , <i>dorado</i>) bangamary	40%	0%	40%	40%		lb
0302.89.30	00	---Flying fish	40%	0%	40%	40%		lb
0302.89.90	00	---Other -Livers and roes,milt, fish fins, heads, tails, maws and other edible fish offal:	40%	0%	40%	40%		lb
0302.91.00	00	--Livers roes and milt	40%	0%	40%	40%		lb
0302.92.00	00	--Shark fins --Other	40%	0%	40%	40%		lb
0302.99.10	00	--- for processing	0%	0%	0%	0%		lb
0302.99.90	00	--- other	40%	0%	40%	40%		lb
03.03		Fish, frozen, excluding fish fillets and other fish meat of heading 03.04 -Salmonidae, excluding edible fish offal of subheadings 0303.91 to 0303.99:						

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0303.11.00	00	--Sockeye salmon (red salmon) (<i>Oncorhynchus Nerka</i>)	40%	0%	40%	40%		lb
0303.12.00	00	--Other Pacific salmon (<i>Oncorhynchus gorbuscha</i> , <i>Oncorhynchus keta</i> , <i>Oncorhynchus tshawytscha</i> , <i>Oncorhynchus kisutch</i> , <i>Oncorhynchus masou</i> and <i>Oncorhynchus rhodurus</i>)	40%	0%	40%	40%		lb
0303.13.00	00	--Atlantic salmon (<i>Salmo salar</i>) and Danube salmon (<i>Hucho hucho</i>)	40%	0%	40%	40%		lb
0303.14.00	00	--Trout (<i>Salmo trutta</i> , <i>Oncorhynchus mykiss</i> , <i>Oncorhynchus clarki</i> , <i>Oncorhynchus aguabonita</i> , <i>Oncorhynchus gilae</i> , <i>Oncorhynchus apache</i> and <i>Oncorhynchus chrysogaster</i>)	40%	0%	40%	40%		lb
0303.19.00	00	--Other -Tilapias (<i>Oreochromis</i> spp.), catfish (<i>Pangasius</i> spp., <i>Silurus</i> spp., <i>clarias</i> spp., <i>Ictalurus</i> spp., carp (<i>Cyprinus carpio</i> , <i>Carassius carassius</i> , <i>Ctenopharyngodon idellus</i> , <i>Hypophthalmichthys</i> spp., <i>Cirrhinus</i> spp., <i>Mylopharyngodon piceus</i> , Catla catla , Labeo spp., Mylopharyngodon piceus Catla catla , Labeo spp., Osteochilus hasselti , Leptobarbus hoeveni , Megalobrama spp.), eels (<i>Anguilla</i> spp.), Nile perch (<i>Lates niloticus</i>) and snakeheads (<i>Channa</i> spp.), excluding fish offal of subheadings 0303.91 to 0303.99:	40%	0%	40%	40%		lb
0303.23.00	00	--Tilapias (<i>Oreochromis</i> spp.)	40%	0%	40%	40%		lb
0303.24.00	00	--Catfish (<i>Pangasius</i> spp., <i>Silurus</i> spp., <i>Clarias</i> spp. <i>Ictalurus</i> spp.)	40%	0%	40%	40%		lb
0303.25.00	00	--Carp (<i>Cyprinus</i> spp., <i>Carassius</i> spp., <i>carassius</i> , <i>Ctenopharyngodon idellus</i> , <i>Hypophthalmichthys</i> spp., <i>Cirrhinus</i> spp., <i>Mylopharyngodon piceus</i>) Catla catla , labeo spp. Osteochilus hasselti , Leptobarbus hoeveni , Megalobrama spp.)	40%	0%	40%	40%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0303.26.00	00	--Eels (<i>Anguilla</i> spp.)	40%	0%	40%	40%		lb
0303.29.00	00	--Other	40%	0%	40%	40%		lb
		-Flat Fish (<i>Pleuronectidae</i> , <i>Bothidae</i> , <i>Cynoglossidae</i> , <i>Soleidae</i> , <i>Scophthalmidae</i> and <i>Citharidae</i>), excluding edible fish of subheadings 0303.91 to 0303.99:						
0303.31.00	00	--Halibut (<i>Reinhardtius hippoglossoides</i> , <i>Hippoglossus Hippoglossus</i> , <i>Hippoglossus stenolepis</i>)	40%	0%	40%	40%		lb
0303.32.00	00	--Plaice (<i>Pleuronectes platessa</i>)	40%	0%	40%	40%		lb
0303.33.00	00	--Sole (<i>Solea</i> spp.)	40%	0%	40%	40%		lb
0303.34.00	00	--Turbot (<i>Psetta Maxima</i>)	40%	0%	40%	40%		lb
0303.39.00	00	--Other	40%	0%	40%	40%		lb
		-Tunas (of the genus <i>Thunnus</i>) skipjack or stripe-bellied bonito (<i>Euthynnus (Katsuwonus) pelamis</i>), excluding edible fish of subheadings 0303.91 to 0303.99:						
		--Albacore or longfinned tunas(<i>Thunnus alalunga</i>):						lb
0303.41.10	00	---For processing	0%	0%	0%	0%		lb
0303.41.90	00	---Other	40%	0%	0%	40%		lb
		--Yellowfin tunas (<i>Thunnus albacares</i>):						lb
0303.42.10	00	---For processing	0%	0%	40%	0%		lb
0303.42.90	00	---Other	40%	0%	40%	40%		lb
0303.43.00	00	--Skipjack or stripe-bellied bonito	40%	0%	40%	40%		lb
0303.44.00	00	--Bigeye tunas (<i>Thunnus obesus</i>)	40%	0%	40%	40%		lb
0303.45.00	00	--Atlantic and pacific Bluefin tunas (<i>Thunnus thynnus</i> , <i>Thunnus orientalis</i>)	40%	0%	40%	40%		lb
0303.46.00	00	--Southern bluefin tunas (<i>Thunnus maccoyii</i>)	40%	0%	40%	40%		lb
0303.49.00	00	--Other	40%	0%	40%	40%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
		-Herrings (<i>Clupea harengus</i> , <i>Clupea pallasii</i>), anchovies (<i>Engraulis spp.</i>), sardines (<i>Sardina pilchardus</i> , <i>Sardinops spp.</i>) sardinella (<i>Sardinella spp.</i>) brisling or sprats (<i>Sprattus sprattus</i>), mackerel (<i>Scomber scombrus</i> , <i>Scomber australasicus</i> , <i>Scomber japonicus</i>), Indian mackerels (<i>Rastrelliger spp.</i>) seerfishes (<i>Scomberomorus spp.</i>) jack and horse mackerel (<i>Trachurus spp.</i>), jacks, crevalles (<i>Caranx spp.</i>) cobia (<i>Rachycentron canadum</i>) silver pomfrets (<i>Pampus spp.</i>) Pacific saury (<i>Cololabis saira</i>) scads (<i>Decapterus spp.</i>) capelin (<i>Mallotus villosus</i>), swordfish (<i>Xiphias gladius</i>) Kawakawa (<i>Euthynnus affinis</i>), bonitos (<i>Sarda spp.</i>) marlins sailfishes, spearfish (<i>Istiophoridae</i>), excluding edible fish offal of subheadings 0303.91 to 0303.99						
		--Herrings (<i>Clupea harengus</i> , <i>Clupea pallasii</i>):						
0303.51.10	00	---For processing	0%	0%	0%	0%		lb
0303.51.90	00	---Other	40%	0%	0%	40%		lb
		--Sardines (<i>Sardina pilchardus</i> , <i>Sardinops spp.</i>), sardinella (<i>Sardinella spp.</i>), brisling or sprats (<i>Sprattus sprattus</i>)						
0303.53.10	00	---For processing	0%	0%	0%	0%		lb
0303.53.90	00	---Other	40%	0%	40%	40%		lb
		--Mackerel (<i>Scomber scombrus</i> , <i>Scomber australasicus</i> , <i>Scomber japonicus</i>)						
0303.54.10	00	---For processing	0%	0%	0%	0%		lb
0303.54.90	00	---Other	40%	0%	40%	40%		lb
0303.55.00	00	--Jack and horse mackerel (<i>Trachurus spp.</i>)	40%	0%	40%	40%		lb
0303.56.00	00	--Cobia (<i>Rachycentron canadum</i>)	40%	0%	40%	40%		lb
		--Swordfish (<i>Xiphias gladius</i>)						
0303.57.10	00	---For processing	0%	0%	0%	0%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0303.57.90	00	---Other	40%	0%	40%	40%		lb
0303.59.00	00	--Other -Fish of the families Bregmacerotidae, Eulichthyidae, Gadidae, Macrouridae, Melanonidae, Merlucciidae, Moridae and Muraenolepididae, excluding edible fish offal of subheadings 0303.91 to 0303.99: --Cod (<i>Gadus morhua</i> , <i>Gadus ogac</i> , <i>Gadus macrocephalus</i>):	40%	0%	40%	40%		lb
0303.63.10	00	---For processing	0%	0%	0%	0%		lb
0303.63.90	00	---Other	40%	0%	40%	40%		lb
0303.64.10	00	--Haddock (<i>Melanogrammus aeglefinus</i>) ---For processing	0%	0%	0%	0%		lb
0303.64.90	00	---Other	40%	0%	40%	40%		lb
0303.65.00	00	--Coalfish (<i>Pollachius virens</i>) --Hake (<i>Merluccius spp.</i> <i>Urophycis spp.</i>)	40%	0%	40%	40%		lb
0303.66.10	00	---For processing	0%	0%	0%	0%		lb
0303.66.90	00	---Other	40%	0%	40%	40%		lb
0303.67.00	00	--Alaska Pollack (<i>Theragra chalcogramma</i>)	40%	0%	40%	40%		lb
0303.68.00	00	--Blue whittings (<i>Micromesistius poutassou</i> , <i>Micromesistius australis</i>)	40%	0%	40%	40%		lb
0303.69.00	00	--Other -Other fish, excluding edible fish offal of subheadings 0303.91 to 0303.99:	40%	0%	40%	40%		lb
0303.81.00	00	--Dogfish and other sharks	40%	0%	24%	40%		lb
0303.82.00	00	--Rays and skates (<i>Rajidae</i>)	40%	0%	40%	40%		lb
0303.83.10	00	--Toothfish (<i>Dissostichus spp.</i>) ---For processing	0%	0%	0%	0%		lb
0303.83.90	00	---Other	40%	0%	40%	40%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0303.84.00	00	--Seabass (<i>Dicentrarchus spp.</i>)	40%	0%	24%	40%		lb
		--Other						
0303.89.10	00	---Alewives, saithe and pollock, for processing	0%	0%	0%	0%		lb
0303.89.20	00	---Snapper, croaker, grouper, dolphinfish (mahi-mahi) and bangamary	40%	0%	40%	40%		lb
0303.89.30	00	---Flying fish	40%	0%	40%	40%		lb
0303.89.90	00	---Other	40%	0%	40%	40%		lb
		-Livers, roes, milt, fish fins, heads, tails, maws and other edible fish offal:						
		---Livers, roes and milt						
0303.91.10	00	---livers	40%	0%	40%	40%		lb
0303.91.20	00	---Roes	40%	0%	40%	40%		lb
0303.91.30	00	---Milt	40%	0%	40%	40%		lb
0303.92.00	00	--Shark fins	40%	0%	40%	40%		lb
		--Other						
0303.99.10	00	--- For processing	0%	0%	40%	40%		lb
0303.99.90	00	--- Other	40%	0%	40%	40%		lb
03.04		Fish fillets and other fish meat (whether or not minced), fresh, chilled or frozen.						
		-Fresh or chilled fillets of tilapias (<i>Oreochromis spp.</i>), catfish (<i>Pangasius spp.</i> , <i>Silurus spp.</i> , <i>Clarias spp.</i> , <i>Ictalurus spp.</i>), carp (<i>Cyprinus Spp.</i> , <i>Carassius spp.</i> , <i>Ctenopharyngodon idellus</i> , <i>Hypophthalmichthys spp.</i> , <i>Cirrhinus spp.</i> , <i>Mylopharyngodon piceus</i> , <i>Catla catla</i> , <i>Labeo spp.</i> , <i>Osteochilus hasselti</i> , <i>Leptobarbus hoeveni</i> , <i>Megalobrama spp.</i>) eels (<i>Anguilla spp.</i>), Nile perch (<i>Lates niloticus</i>) and snakeheads (<i>Channa spp.</i>):						
0304.31.00	00	--Tilapias (<i>Oreochromis spp.</i>)	40%	0%	40%	40%		lb
0304.32.00	00	--Catfish (<i>Pangasius spp.</i> , <i>Silurus spp.</i> , <i>Clarias spp.</i> , <i>Ictalurus spp.</i>)	40%	0%	40%	40%		lb
0304.33.00	00	--Nile perch (<i>Lates niloticus</i>)	40%	0%	40%	40%		lb
0304.39.00	00	--Other	40%	0%	40%	40%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0304.41.00	00	-Fresh or chilled fillets of other fish: --Pacific salmon (<i>Oncorhynchus nerka</i> , <i>Oncorhynchus gorbuscha</i> , <i>Oncorhynchus keta</i> , <i>Oncorhynchus tshawytscha</i> , <i>Oncorhynchus kisutch</i> , <i>Oncorhynchus masou</i> and <i>Oncorhynchus rhodurus</i>), Atlantic salmon (<i>Salmo salar</i>) and Danube salmon (<i>Hucho hucho</i>)	40%	0%	12%	40%		lb
0304.42.00	00	--Trout (<i>Salmo trutta</i> , <i>Oncorhynchus mykiss</i> , <i>Oncorhynchus clarki</i> , <i>Oncorhynchus</i> <i>aguabonita</i> , <i>Oncorhynchus gilae</i> , <i>Oncorhynchus apache</i> and <i>Oncorhynchus</i> <i>chrysogaster</i>)	40%	0%	21%	40%		lb
0304.43.00	00	--Flat fish (<i>Pleuronectidae</i> , <i>Bothidae</i> , <i>Cynoglossidae</i> , <i>Soleidae</i> , <i>Scophthalmidae</i> and <i>Citharidae</i>)	40%	0%	40%	40%		lb
0304.44.00	00	--Fish of the families <i>Bregmacerotidae</i> , <i>Euclichthyidae</i> , <i>Gadidae</i> , <i>Macrouridae</i> , <i>Melanonidae</i> , <i>Merlucciidae</i> , <i>Moridae</i> and <i>Muraenolepididae</i>	40%	0%	40%	40%		lb
0304.45.00	00	--Swordfish (<i>Xiphias gladius</i>)	40%	0%	40%	40%		lb
0304.46.00	00	--Toothfish (<i>Dissostichus</i> spp.)	40%	0%	40%	40%		lb
0304.47.00	00	--Dogfish and other sharks	40%	0%	40%	40%		lb
0304.48.00	00	--Rays and skates (<i>Rajidae</i>)	40%	0%	40%	40%		lb
		--Other:						
0304.49.10	00	---Flying fish	40%	0%	40%	40%		lb
0304.49.90	00	--- Other	40%	0%	40%	40%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0304.51.00	00	-Other, fresh or chilled --Tilapias (<i>Oreochromis</i> spp.), catfish (<i>Pangasius</i> spp., <i>Silurus</i> spp. <i>Clarias</i> spp., <i>Ictalurus</i> spp.), carp (<i>Cyprinus carpio</i> , <i>Carassius</i> spp., <i>Ctenopharyngodon idellus</i> , <i>Hypophthalmichthys</i> spp., <i>Cirrhinus</i> spp., <i>Mylopharyngodon piceus</i> , <i>Catla catla</i> , <i>Labeo</i> spp., <i>Osteochilus hasselti</i> , <i>Leptobarbus hoeveni</i> , <i>Megalobrama</i> spp.), eels (<i>Anguilla</i> spp.), Nile perch (<i>Lates niloticus</i>) and snakeheads (<i>channa</i> spp.)	40%	0%	40%	40%		lb
0304.52.00	00	--Salmonidae	40%	0%	40%	40%		lb
0304.53.00	00	--Fish of the families Bregmacerotidae, Euclichthyidae, Gadidae, Macrouridae, Melanonidae, Merluccidae, Moridae and Muraenolepididae	40%	0%	40%	40%		lb
0304.54.00	00	--Swordfish (<i>Xiphias Gladius</i>)	40%	0%	40%	40%		lb
0304.55.00	00	--Toothfish (<i>Dissostichus</i> spp.)	40%	0%	40%	40%		lb
0304.56.00	00	--Dogfish and other sharks	40%	0%	40%	40%		lb
0304.57.00	00	--Rays and skates (<i>Rajidae</i>)	40%	0%	40%	40%		lb
0304.59.00	00	--Other -Frozen fillets of tilapias (<i>Oreochromis</i> spp.), catfish (<i>Pangasius</i> spp., <i>Silurus</i> spp., <i>Clarias</i> spp., <i>Ictalurus</i> spp.), carp (<i>Cyprinus</i> spp., <i>Carassius</i> , <i>Ctenopharyngodon idellus</i> , <i>Hypophthalmichthys</i> spp., <i>Cirrhinus</i> spp., <i>Mylopharyngodon piceus</i> <i>Catla catla</i> , <i>Labeo</i> spp., <i>Ostechilus hasselti</i> , <i>Leptobarbus hoeveni</i> , <i>Megalobrama</i> spp., eels (<i>Anguilla</i> spp.), Nile perch (<i>Lates niloticus</i>) and snakeheads (<i>Channa</i> spp.):	40%	0%	40%	40%		lb
0304.61.00	00	--Tilapias (<i>Oreochromis</i> spp.)	40%	0%	40%	40%		lb
0304.62.00	00	--Catfish (<i>Pangasius</i> spp., <i>Silurus</i> spp., <i>Clarias</i> spp., <i>Ictalurus</i> spp.)	40%	0%	40%	40%		lb
0304.63.00	00	--Nile perch (<i>Lates niloticus</i>)	40%	0%	40%	40%		lb
0304.69.00	00	--Other -Frozen fillets of fish of the families <i>Bregmacerotidae</i> , <i>Euclichthyidae</i> , <i>Gadidae</i> , <i>Macrouridae</i> , <i>Melanonidae</i> , <i>Merlucciidae</i> , <i>Moridae</i> and <i>Muraenolepididae</i> :	40%	0%	40%	40%		lb
0304.71.00	00	--Cod (<i>Gadus morhua</i> , <i>Gadus ogac</i> , <i>Gadus macrocephalus</i>)	40%	0%	40%	40%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0304.72.00	00	--Haddock (<i>Melanogrammus aeglefinus</i>)	40%	0%	40%	40%		lb
0304.73.00	00	--Coalfish (<i>Pollachius virens</i>)	40%	0%	40%	40%		lb
0304.74.00	00	--Hake (<i>Merluccius spp.</i> , <i>Urophycis spp.</i>)	40%	0%	40%	40%		lb
0304.75.00	00	--Alaska Pollack (<i>Theragra chalcogramma</i>)	40%	0%	40%	40%		lb
0304.79.00	00	--Other	40%	0%	40%	40%		lb
		-Frozen fillets of other fish:						
0304.81.00	00	--Pacific salmon (<i>Oncorhynchus nerka</i> , <i>oncorhynchus gorbusha</i> , <i>Oncorhynchus keta</i> , <i>Oncorhynchus tshawytscha</i> , <i>Oncorhynchus kisutch</i> , <i>Oncorhynchus masou</i> and <i>Oncorhynchus rhodurus</i>), Atlantic salmon (<i>Salmo salar</i>) and Danube salmon (<i>Hucho hucho</i>)	40%	0%	40%	40%		lb
0304.82.00	00	--Trout (<i>Salmo trutta</i> , <i>Oncorhynchus mykiss</i> , <i>Oncorhynchus clarki</i> , <i>Oncorhynchus aguabonita</i> , <i>Oncorhynchus gilae</i> , <i>Oncorhynchus apache</i> and <i>Oncorhynchus chrysogaster</i>)	40%	0%	40%	40%		lb
0304.83.00	00	--Flat fish (<i>Pleuronectidae</i> , <i>Bothidae</i> , <i>Cynoglossidae</i> , <i>Soleidae</i> , <i>Scophthalmidae</i> and <i>Citharidae</i>)	40%	0%	40%	40%		lb
0304.84.00	00	--Swordfish (<i>Xiphias gladius</i>)	40%	0%	40%	40%		lb
0304.85.00	00	--Toothfish (<i>Dissostichus spp.</i>)	40%	0%	40%	40%		lb
0304.86.00	00	--Herrings (<i>Clupea harengus</i> , <i>Clupea pallasii</i>)	40%	0%	40%	40%		lb
0304.87.00	00	--Tunas (of the genus <i>Thunnus</i>), skipjack or stripe-bellied bonito (<i>Euthynnus (Katsuwonus) pelamis</i>)	40%	0%	40%	40%		lb
0304.88.00	00	--Dogfish, other sharks, rays and skates (<i>Rajidae</i>)	40%	0%	40%	40%		lb
		--Other						
0304.89.10	00	---Flying fish	40%	0%	40%	40%		lb
0304.89.90	00	---Other	40%	0%	40%	40%		lb
		-Other, frozen:						
0304.91.00	00	--Swordfish (<i>Xiphias gladius</i>)	40%	0%	40%	40%		lb
0304.92.00	00	--Toothfish (<i>Dissostichus spp</i>)	40%	0%	40%	40%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0304.93.00	00	--Tilapias (<i>Oreochromis spp.</i>), catfish (<i>Pangasius spp.</i> , <i>Silurus spp.</i> , <i>Clarias spp.</i> , <i>Ictalurus spp.</i>), carp (<i>Cyprinus carpio</i> , <i>Carassius spp.</i> , <i>Cirrhinus spp.</i> , <i>Ctenopharyngodon idellus</i> , <i>Hypothalmichthys spp.</i> , <i>Cirrhinus spp.</i> , <i>Mylopharyngodon piceus</i> , <i>Catla catla</i> , <i>Labeo spp.</i> , <i>Osteochilus hasselti</i> , <i>Leptobarbus hoeveni</i> , <i>Megalobrama spp.</i>) eels (<i>anguilla spp.</i>) Nile perch (<i>Lates niloticus</i>) and snakeheads (<i>Channa spp.</i>)	40%	0%	40%	40%		lb
0304.94.00	00	--Alaska Pollack (<i>Theragra chalcogramma</i>)	40%	0%	40%	40%		lb
0304.95.00	00	--Fish of the families Bregmacerotidae, Eulichthyidae, Gadidae, Macrouridae, Melanonidae, Merlucciidae, Moridae and Muraenolepididae, other than Alaska Pollack (<i>Theragra chalcogramma</i>)	40%	0%	40%	40%		lb
0304.96.00	00	--Dogfish and other sharks	40%	0%	40%	40%		lb
0304.97.00	00	--Rays and skates (<i>Rajidae</i>)	40%	0%	40%	40%		lb
0304.99.00	00	--Other	40%	0%	40%	40%		lb
03.05		Fish, dried, salted or in brine; smoked fish, whether or not cooked before or during the smoking process; flours, meals and pellets of fish, fit for human consumption.						
0305.10.00	00	-Flours, meals and pellets of fish, fit for human consumption	20%	0%	15%	20%		lb
0305.20.00	00	-Livers , roes and milt of fish , dried, smoked, salted or in brine -Fish fillets, dried, salted or in brine, but not smoked	20%	0%	12%	20%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0305.31.00	00	--Tilapias (<i>Oreochromis</i> spp.), catfish (<i>Pangasius</i> spp., <i>Silurus</i> spp., <i>Clarias</i> spp., <i>Ictalurus</i> spp.), carp (<i>Cyprinus</i> spp., <i>Carassius</i> spp., <i>Ctenopharyngodon idellus</i> , <i>Hypophthalmichthys</i> spp., <i>Cirrhinus</i> spp., <i>Mylopharyngodon piceus</i> , <i>Catla catla</i> , <i>Labeo</i> spp., <i>Osteochilus hasselti</i> , <i>Lepotobarbus hoeveni</i> , <i>Megalobrama</i> spp.), eels (<i>Anguilla</i> spp.), Nile perch (<i>Lates niloticus</i>) and snakeheads (<i>Channa</i> spp.)	20%	0%	20%	20%		lb
0305.32.00	00	--Fish of the families Bregmacerotidae, Euclichthyidae, Gadidae, Macrouridae, Melanonidae, Merlucciidae, Moridae and Muraenolepididae	20%	0%	20%	20%		lb
0305.39.00	00	--Other -Smoked fish, including fillets, other than edible fish offal:	20%	0%	20%	20%		lb
0305.41.00	00	--Pacific salmon (<i>Oncorhynchus nerka</i> , <i>Oncorhynchus gorbuscha</i> , <i>Oncorhynchus keta</i> , <i>Oncorhynchus tshawytscha</i> , <i>Oncorhynchus kisutch</i> , <i>Oncorhynchus masou</i> and <i>Oncorhynchus rhodurus</i>), Atlantic salmon (<i>Salmo salar</i>) and Danube salmon (<i>Hucho hucho</i>)	20%	0%	12%	20%		lb
0305.42.00	00	--Herrings (<i>Clupea harengus</i> , <i>Clupea pallasii</i>)	35%	0%	21%	35%		lb
0305.43.00	00	--Trout (<i>Salmo trutta</i> , <i>Oncorhynchus mykiss</i> , <i>Oncorhynchus clarki</i> , <i>Oncorhynchus aguabonita</i> , <i>Oncorhynchus gilae</i> , <i>Oncorhynchus apache</i> and <i>Oncorhynchus chrysogaster</i>)	20%	0%	20%	20%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0305.44.00	00	--Tilapias (Oreochromis spp.), catfish (Pangasius spp., Silurus spp., Clarias spp., Ictalurus spp.), carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus, Catla catla, labeobarbus hoeveni, Megalobrama spp.) eels (Anguilla spp.), Nile perch (lates niloticus) and snakeheads (channa spp.)	20%	0%	20%	20%		lb
0305.49.10	00	--Other : ---Cod, mackerel and alewives	35%	0%	35%	35%		lb
0305.49.90	00	---Other -Dried fish, other than edible fish offal, whether or not salted but not smoked:	20%	0%	20%	20%		lb
0305.51.00	00	--Cod (Gadus morhua, Gadus ogac, Gadus macrocephalus)	35%	0%	21%	35%		lb
0305.52.00	00	--Tilapias (Oreochromis spp), catfish (Pangasius spp. Silurus spp. Clarias spp. , Ictalurus spp), carp (Cyprinus spp., Carassius spp., Ctenpharyngodon idellus, Hypophthalmichthys spp., Cirrhimus spp., Mylopharyngodon piceus, Catla catla, Labeo spp., Osteochilus hasselti, Leptobarbus hoevanti, Megalobrama spp.), eels Anguilla spp.), Nile perch (Lates niloticus) and snakeheads (Channa spp.)	40%	0%	21%	40%		lb
0305.53.00	00	--Fish of the families Bregmacerotidae, Euclihthyidae, Gadidae, Macrouridae, Melanonidae, Merlucciidae, Moridae and Muraenolepididae, other than cod (gadus morhua, Gadus ogac, Gadus macrocephalus)	40%	0%	21%	40%		lb
0305.54.00	00	--Herrings (Clupea harengus, Clupea pallasii), anchovies (Engraulis spp.), sardines (Sardina pilchardus, Sardinops spp.), sardinella (Sardinella spp.), brisling or sprats (Sprattus sprattus) mackerel (Scomber scombrus, Scomber australasicus, Scomber japonicas), Indian mackerels (Rastrelliger spp.) seerfishes (Scomberomorus pp.) jack and horse mackerel (Trachurus spp.), jacks Crevalles (Caranx spp.), cobia (Rachycentron canadum), silver pomfrets(Pampus spp.), Pacific saury (Coloabis saira), scads (Decapterus spp.), capelin (Mallotus villosus), swordfish (Xiphias gladius), Kawakawa (Euthynnus affinis), bonitos (Sarda spp.), marlins sailfishes spearfish (istiophoridae)	40%	0%	21%	40%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0305.59.10	00	--Other : ---Mackerel	35%	0%	35%	35%		lb
		---Herrings, alewives, saithe, pollock, haddock and hake:						
0305.59.21	00	----Alaska Pollock	35%	0%	35%	35%		lb
0305.59.29	00	----Other	35%	0%	35%	35%		lb
0305.59.90	00	---Other -Fish, salted but not dried or smoked and fish in brine, other than edible fish offal:	20%	0%	20%	20%		lb
0305.61.00	00	--Herrings (<i>Clupea harengus</i> , <i>Clupea pallasii</i>)	35%	0%	21%	35%		lb
0305.62.00	00	--Cod (<i>Gadus morhua</i> , <i>Gadus ogac</i> , <i>Gadus macrocephalus</i>)	35%	0%	21%	35%		lb
0305.63.00	00	--Anchovies (<i>Engraulis</i> spp.)	20%	0%	12%	20%		lb
0305.64.00	00	--Tilapias (<i>Oreochromis</i> spp.), catfish (<i>Pangasius</i> spp., <i>Silurus</i> spp., <i>Clarias</i> spp., <i>Ictalurus</i> spp.), carp (<i>Cyprinus</i> spp., <i>Carassius</i> spp, <i>Ctenopharyngodon idellus</i> , <i>Hypophthalmichthys</i> spp., <i>Cirrhinus</i> spp., <i>Mylopharyngodon piceus</i> , <i>Catla Catla</i> , <i>Labeo</i> spp., <i>Osteochilus hasselti</i> , <i>Leptobarbus hoeveni</i> , <i>Megalobrama</i> spp.), eels (<i>Anguilla</i> spp.), Nile perch (<i>Lates niloticus</i>) and snakeheads (<i>Channa</i> spp.)	20%	0%	20%	20%		lb
		--Other:						
0305.69.10	00	---Mackerel	35%	0%	35%	35%		lb
0305.69.20	00	---Alewives, saithe, pollock, haddock and hake	35%	0%	35%	35%		lb
0305.69.90	00	---Other -Fish fins, heads, tails, maws and other edible fish offal:	20%	0%	20%	20%		lb
0305.71.00	00	--Shark fins	20%	0%	20%	20%		lb
0305.72.00	00	--Fish heads, tails and maws	20%	0%	20%	20%		lb
0305.79.00	00	--other	20%	0%	20%	20%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
03.06		Crustaceans, whether in shell or not, live, fresh, chilled, frozen, dried, salted or in brine; smoked crustaceans, whether in shell or not, whether or not cooked before or during the smoking process, crustaceans in shell cooked by steaming or by boiling in water, whether or not chilled, frozen, dried, salted or in brine; flours, meals and pellets of crustaceans, fit for human consumption.						
		-Frozen:						
0306.11.00	00	--Rock lobster and other sea crawfish (Palinurus spp., Panulirus spp., Jasus spp.)	40%	0%	40%	40%		lb
0306.12.00	00	--Lobsters (Homarus spp.)	40%	0%	40%	40%		lb
0306.14.00	00	--Crabs	40%	0%	40%	40%		lb
0306.15.00	00	--Norway lobsters (Nephrops norvegicus)	40%	0%	40%	40%		lb
0306.16.00	00	--Cold-water shrimps and prawns (Pandalus spp., Crangon crangon)	40%	0%	40%	40%		lb
0306.17.00	00	--Other shrimps and prawns	40%	0%	40%	40%		lb
0306.19.00	00	--Other, including flours, meals and pellets of crustaceans, fit for human consumption	40%	0%	40%	40%		lb
		-Live fresh or chilled:						
		--Rock lobster and other sea crawfish (Palinurus spp., Panulirus spp. Jasus.spp.)						
0306.31.10	00	--- Live, for breeding or rearing	0%	0%	0%	0%		lb
0306.31.90	00	--- Other	40%	0%	40%	40%		lb
		--Lobsters (Homarus spp.):						
0306.32.10	00	---Live, for breeding or rearing	0%	0%	0%	0%		lb
0306.32.90	00	--- Other	40%	0%	40%	40%		lb
0306.33.00	00	--Crabs	40%	0%	40%	40%		lb
0306.34.00	00	--Norway Lobsters (Nephrops norvegicus)	40%	0%	40%	40%		lb
		--Cold-water shrimps and prawns (Pandalus spp. Crangon crangon)						
0306.35.10	00	--- Live, for breeding or rearing	0%	0%	0%	0%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0306.35.30	00	--- Other, cultured	40%	0%	40%	40%		lb
0306.35.90	00	--- Other, wild	40%	0%	40%	40%		lb
		--Other shrimps and prawns						
0306.36.10	00	--- Live, for breeding or rearing	0%	0%	0%	0%		lb
0306.36.30	00	--- Other cultured	40%	0%	40%	40%		lb
0306.36.90	00	--- Other, wild	40%	0%	40%	40%		lb
		--Other, including flours, meals and pellets of crustaceans, fit for consumption						
0306.39.10	00	---Live, for breeding or rearing	0%	0%	0%	0%		lb
0306.39.90	00	---Other	40%	0%	40%	40%		lb
		-Other						
0306.91.00	00	--Rock lobster and other sea crawfish (Palinurus spp, Panulirus spp.Jasus spp.)	40%	0%	40%	40%		lb
0306.92.00	00	--Lobsters (Homarus spp.)	40%	0%	40%	40%		lb
0306.93.00	00	--Crabs	40%	0%	40%	40%		lb
0306.94.00	00	--Norway Lobsters (Nephrops norvegicus)	40%	0%	40%	40%		lb
0306.95.00	00	--Shrimps and prawns	40%	0%	40%	40%		lb
0306.95.10	00	--Other shrimp and prawns	40%	0%	40%	40%		lb
		--Other, including flours meals and pellets of crustaceans, fit for human consumption						
0306.99.10	00	--- Live, for breeding or rearing	0%	0%	0%	0%		lb
0306.99.90	00	---Other	40%	0%	40%	40 %		lb
03.07		Molluscs, whether in shell or not, live, fresh, chilled, frozen, dried, salted or in brine; smoked molluscs, whether in shell or not, whether or not cooked before or during the smoking process; flours, meals and pellets of molluscs, fit for human consumption.						
		-Oysters:						
		--Live, fresh or chilled						
0307.11.10	00	---For breeding or rearing	0%	0%	0%	0%		lb
0307.11.90	00	---Other	40%	0%	27%	40%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0307.12.00	00	--Frozen	40%	0%	27%	40%		lb
0307.19.00	00	--Other	40%	0%	27%	40%		lb
		-Scallops, including queen scallops, of the genera Pecten, Chlamys or Placopecten:						
0307.21.00	00	--Live, fresh or chilled	40%	0%	30%	40%		lb
0307.22.00	00	--Frozen	40%	0%	30%	40%		lb
0307.29.00	00	--Other	40%	0%	27%	40%		lb
		-Mussels (Mytilus spp., Perna spp.):						
0307.31.00	00	--Live, fresh or chilled	40%	0%	27%	40%		lb
0307.32.00	00	--Frozen	40%	0%	27%	40%		lb
0307.39.00	00	--Other	40%	0%	27%	40%		lb
		-Cuttle fish(<i>Sepia officinalis</i> , <i>Rossia macrosma</i> , <i>Sepiola</i> spp.) and squid (<i>Ommastrephes</i> spp., <i>Loligo</i> spp., <i>Nototodarus</i> spp., <i>Sepioteuthis</i> spp.):						
		--Live, fresh or chilled:						
0307.42.10	00	---For breeding or rearing	Free	Free	Free	Free		lb
0307.42.90	00	---Other	40%	0%	27%	40%		lb
0307.43.00	00	--Frozen	40%	0%	27%	40%		lb
0307.49.00	00	--Other	40%	0%	27%	40%		lb
		-Octopus (<i>Octopus</i> spp.):						
0307.51.00	00	--Live, fresh or chilled	40%	0%	27%	40%		lb
0307.52.00	00	--Frozen	40%	0%	27%	40%		lb
0307.59.00	00	--Other	40%	0%	27%	40%		lb
0307.60.00	00	-Snails, other than sea snails	40%	0%	5%	40%		lb
		-Clams, cockles and ark shells (families Arcidae, Arctiidae, Cardiidae, Donacidae, Hiatellidae, Mactridae, Mesodesmatidae, Myidae, Semelidae, Solecurtidae, Solenadae, Tridacnidae and Veneradae):						
0307.71.00	00	--Live, fresh or chilled	40%	0%	40%	40%		lb
0307.72.00	00	--Frozen	40%	0%	40%	40%		lb
0307.79.00	00	--Other	40%	0%	40%	40%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0307.81.00	00	-Abalone (Haliotis spp.): and stromboid conchs (Strombus spp.): --Live, fresh or chilled abalone (Haliotis spp.) --Live, fresh or chilled stromboid conchs (Strombus spp.)	40%	0%	40%	40%		lb
0307.82.10	00	---For breeding or rearing	0%	0%	0%	0%		lb
0307.82.90	00	---Other	40%	0%	40%	40%		lb
0307.83.00	00	--Frozen abalone (Haliotis spp.)	40%	0%	40%	40%		lb
0307.84.00	00	--Frozen stromboid conchs (Strombus spp.)	40%	0%	40%	40%		lb
0307.87.00	00	--Other abalone (Haliotis spp.)	40%	0%	40%	40%		lb
0307.88.00	00	--Other stromboid conchs (Strombus spp.)	40%	0%	40%	40%		lb
		-Other, including flours, meals and pellets, fit for human consumption: --Live, fresh or chilled						
0307.91.10	00	---Conch ---Other mollusc	40%	0%	27%	40%		lb
0307.91.21	00	----For breeding	0%	0%	0%	0%		lb
0307.91.29	00	----Other	40%	0%	27%	40%		lb
0307.92.00	00	--Frozen --Other:	40%	0%	27%	40%		lb
0307.99.10	00	---Sea –eggs	40%	0%	24%	40%		lb
0307.99.20	00	---Conch	40%	0%	24%	40%		lb
0307.99.90	00	--- Other, including flours, meals and pellets fit for human consumption	40%	0%	24%	40%		lb
03.08		Aquatic invertebrates other than crustaceans and molluscs, live, fresh, chilled, frozen, dried, salted or in brine; smoked aquatic invertebrates other than crustaceans and molluscs, whether or not cooked before or during the smoking process; flours, meals and pellets of aquatic invertebrates other than crustaceans and molluscs, fit for human consumption.						
0308.11.00	00	-Sea cucumbers (Stichopus joponicus,Holothuroidea): --Live, fresh or chilled	40%	0%	40%	40%		lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
0308.12.00	00	--Frozen	40%	0%	40%	40%		lb
0308.19.00	00	--Other	40%	0%	40%	40%		lb
		-Sea urchins (Strongylocentrotus spp., Paracentrotus lividus, Loxechinus albus, Echinus esculentus):						
0308.21.00	00	--Live, fresh or chilled	40%	0%	40%	40%		lb
0308.22.00	00	--Frozen	40%	0%	40%	40%		lb
0308.29.00	00	--Other	40%	0%	40%	40%		lb
0308.30.00	00	-Jellyfish (Rhopilema spp.)	40%	0%	40%	40%		lb
0308.90.00	00	-Other	40%	0%	40%	40%		lb