

CHAPTER 40
RUBBER AND ARTICLES THEREOF

Notes.

1. Except where the context otherwise requires, throughout the Nomenclature the expression "**rubber**" means the following products, whether or not vulcanised or hard: natural rubber, balata, gutta-percha, guayule, chicle and similar natural gums, synthetic rubber, factice derived from oils, and such substances reclaimed.
2. This Chapter does not cover:
 - (a) Goods of Section XI (textiles and textile articles);
 - (b) Footwear or parts thereof of Chapter 64;
 - (c) Headgear or parts thereof (including bathing caps) of Chapter 65;
 - (d) Mechanical or electrical appliances or parts thereof of Section XVI (including electrical goods of all kinds), of hard rubber;
 - (e) Articles of Chapters 90, 92, 94 or 96; or
 - (f) Articles of Chapter 95 (other than sports gloves, mittens and mitts and articles of headings 40.11 to 40.13).
3. In headings 40.01 to 40.03 and 40.05, the expression "**primary forms**" applies only to the following forms:
 - (a) Liquids and pastes (including latex, whether or not pre-vulcanised, and other dispersions and solutions);
 - (b) Blocks of irregular shape, lumps, bales, powders, granules, crumbs and similar bulk forms.
4. In Note 1 to this Chapter and in heading 40.02, the expression "**synthetic rubber**" applies to:

- (a) Unsaturated synthetic substances which can be irreversibly transformed by vulcanisation with sulphur into non-thermoplastic substances which, at a temperature between 18°C and 29°C, will not break on being extended to three times their original length and will return, after being extended to twice their original length, within a period of five minutes, to a length not greater than one and a half times their original length. For the purposes of this test, substances necessary for the cross-linking, such as vulcanising activators or accelerators, may be added; the presence of substances as provided for by Note 5(B)(ii) and (iii) is also permitted. However, the presence of any substances not necessary for the cross-linking, such as extenders, plasticisers and fillers, is not permitted;
 - (b) Thioplasts (TM); and
 - (c) Natural rubber modified by grafting or mixing with plastics, depolymerised natural rubber, mixtures of unsaturated synthetic substances with saturated synthetic high polymers provided that all the above-mentioned products comply with the requirements concerning vulcanisation, elongation and recovery in (a) above.
5. (A) Headings 40.01 and 40.02 do not apply to any rubber or mixture of rubbers which has been compounded, before or after coagulation, with:
- (i) vulcanising agents, accelerators, retarders or activators (other than those added for the preparation of pre-vulcanised rubber latex);
 - (ii) pigments or other colouring matter, other than those added solely for the purpose of identification;
 - (iii) plasticisers or extenders (except mineral oil in the case of oil-extended rubber), fillers, reinforcing agents, organic solvents or any other substances, except those permitted under (B);
- (B) The presence of the following substances in any rubber or mixture of rubbers shall not affect its classification in heading 40.01 or 40.02, as the case may be, provided that such rubber or mixture of rubbers retains its essential character as a raw material:
- (i) emulsifiers or anti-tack agents;
 - (ii) small amounts of breakdown products of emulsifiers;
 - (iii) very small amounts of the following: heat-sensitive agents (generally for obtaining thermosensitive rubber latexes), cationic surface-active agents (generally for obtaining electro-positive rubber latexes), antioxidants, coagulants, crumbling agents, freeze-resisting agents, peptisers, preservatives, stabilisers, viscosity-control agents, or similar special-purpose additives.

6. For the purposes of heading 40.04, the expression "**waste, parings and scrap**" means rubber waste, parings and scrap from the manufacture or working of rubber and rubber goods definitely not usable as such because of cutting-up, wear or other reasons.
7. Thread wholly of vulcanised rubber, of which any cross-sectional dimension exceeds 5 mm, is to be classified as strip, rods or profile shapes, of heading 40.08.
8. Heading 40.10 includes conveyor or transmission belts or belting of textile fabric impregnated, coated, covered or laminated with rubber or made from textile yarn or cord impregnated, coated, covered or sheathed with rubber.
9. In headings 40.01, 40.02, 40.03, 40.05 and 40.08, the expressions "**plates**", "**sheets**" and "**strip**" apply only to plates, sheets and strip and to blocks of regular geometric shape, uncut or simply cut to rectangular (including square) shape, whether or not having the character of articles and whether or not printed or otherwise surface-worked, but not otherwise cut to shape or further worked.

In heading 40.08 the expressions "**rods**" and "**profile shapes**" apply only to such products, whether or not cut to length or surface-worked but not otherwise worked.

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EU/ UK	GUAT	TW/ ROC	UNIT(S)
40.01		Natural rubber, balata, gutta-percha, guayule, chicle and similar natural gums, in primary forms or in plates, sheets or strip.						
4001.10.00	00	-Natural rubber latex, whether or not pre-vulcanized	5%	0%	0%	5%	5%	lb
		-Natural rubber in other forms:						
4001.21.00	00	--Smoked sheets	5%	0%	0%	5%	5%	lb
4001.22.00	00	--Technically specified natural rubber (TSNR)	5%	0%	0%	5%	5%	lb
4001.29.00	00	--Other	5%	0%	0%	5%	5%	lb
4001.30.00	00	-Balata, gutta-percha, guayule, chicle and similar natural gums	5%	0%	0%	5%	5%	lb
40.02		Synthetic rubber and factice derived from oils, in primary forms or in plates, sheets or strip; mixtures of any product of heading 40.01 with any product of this heading, in primary forms or in plates, sheets or strip.						
		-Styrene-butadiene rubber (SBR); carboxylated styrene-butadiene rubber (XSBR):						
4002.11.00	00	--Latex	5%	0%	0%	5%	5%	lb
4002.19.00	00	--Other	5%	0%	0%	5%	5%	lb
4002.20.00	00	-Butadiene rubber (BR)	5%	0%	0%	5%	5%	lb
		-Isobutene-isoprene (butyl) rubber (IIR); halo-isobutene-isoprene rubber (CIIR or BIIR):						
4002.31.00	00	--Isobutene-isoprene (butyl) rubber (IIR)	5%	0%	0%	5%	5%	lb
4002.39.00	00	--Other	5%	0%	0%	5%	5%	lb
		-Chloroprene (chlorobutadiene) rubber (CR):						
4002.41.00	00	--Latex	5%	0%	0%	5%	5%	lb
4002.49.00	00	--Other	5%	0%	0%	5%	5%	lb
		-Acrylonitrile-butadiene rubber (NBR):						
4002.51.00	00	--Latex	5%	0%	0%	0%	5%	lb
4002.59.00	00	--Other	5%	0%	0%	0%	5%	lb
4002.60.00	00	-Isoprene rubber (IR)	5%	0%	0%	5%	5%	lb
4002.70.00	00	-Ethylene-propylene-non-conjugated diene rubber (EPDM)	5%	0%	0%	5%	5%	lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EU/ UK	GUAT	TW/ ROC	UNIT(S)
4002.80.00	00	-Mixtures of any product of heading 40.01 with any product of this heading	5%	0%	0%	5%	5%	lb
		-Other						
4002.91.00	00	--Latex	5%	0%	0%	5%	5%	lb
4002.99.00	00	--Other	5%	0%	0%	5%	5%	lb
4003.00.00	00	Reclaimed rubber in primary forms or in plates, sheets or strip.	5%	0%	0%	5%	5%	lb
4004.00.00	00	Waste, parings and scrap of rubber (other than hard rubber) and powders and granules obtained therefrom.	5%	0%	0%	5%	5%	lb
40.05		Compounded rubber, unvulcanised, in primary forms or in plates, sheets or strip.						
4005.10.00	00	-Compounded with carbon black or silica	5%	0%	0%	5%	5%	lb
4005.20.00	00	-Solutions; dispersions other than those of subheading 4005.10	5%	0%	0%	5%	5%	lb
		-Other:						
		--Plates, sheets and strip:						
4005.91.10	00	---Sheets for tyre repair	15%	0%	0%	0%	15%	lb
4005.91.90	00	---Other	5%	0%	0%	5%	5%	lb
4005.99.00	00	--Other	5%	0%	0%	5%	5%	lb
40.06		Other forms (for example, rods, tubes and profile shapes) and articles (for example, discs and rings), of unvulcanised rubber.						
4006.10.00	00	-"Camel-back" strips for retreading rubber tyres	15%	0%	0%	15%	15%	lb
4006.90.00	00	-Other	5%	0%	0%	5%	5%	lb
4007.00.00	00	Vulcanised rubber thread and cord.	5%	0%	0%	0%	5%	lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EU/ UK	GUAT	TW/ ROC	UNIT(S)
40.08		Plates, sheets, strip, rods and profile shapes, of vulcanized rubber other than hard rubber.						
		-Of cellular rubber:						
4008.11.00	00	--Plates, sheets and strip	15%	0%	0%	15%	15%	lb
4008.19.00	00	--Other	15%	0%	0%	15%	15%	lb
		-Of non-cellular rubber:						
4008.21.00	00	--Plates, sheets and strip	15%	0%	0%	15%	15%	lb
4008.29.00	00	--Other	15%	0%	0%	15%	15%	lb
40.09		Tubes, pipes and hoses, of vulcanized rubber other than hard rubber, with or without their fittings (for example, joints, elbows, flanges).						
		-Not reinforced or otherwise combined with other materials:						
4009.11.00	00	--Without fittings	5%	0%	0%	5%	5%	lb
4009.12.00	00	--With fittings	5%	0%	0%	5%	5%	lb
		-Reinforced or otherwise combined only with metal:						
4009.21.00	00	--Without fittings	5%	0%	0%	5%	5%	lb
4009.22.00	00	--With fittings	5%	0%	0%	5%	5%	lb
		-Reinforced or otherwise combined only with textile materials:						
4009.31.00	00	--Without fittings	5%	0%	0%	5%	5%	lb
4009.32.00	00	--With fittings	5%	0%	0%	5%	5%	lb
		-Reinforced or otherwise combined with other materials:						
4009.41.00	00	--Without fittings	5%	0%	0%	5%	5%	lb
4009.42.00	00	--With fittings	5%	0%	0%	5%	5%	lb
40.10		Conveyor or transmission belts or belting, of vulcanized rubber.						
		-Conveyor belts or belting:						
4010.11.00	00	--Reinforced only with metal	5%	0%	0%	5%	5%	lb
4010.12.00	00	--Reinforced only with textile materials	5%	0%	0%	5%	5%	lb
4010.19.00	00	--Other	5%	0%	0%	5%	5%	lb

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EU/ UK	GUAT	TW/ ROC	UNIT(S)
4010.31.00	00	-Transmission belts or belting: --Endless transmission belts of trapezoidal cross-section (v-belts), V-ribbed, of an outside circumference exceeding 60 cm but not exceeding 180 cm	5%	0%	0%	5%	5%	lb
4010.32.00	00	--Endless transmission belts of trapezoidal cross-section (V-belts), other than V-ribbed, of an outside circumference exceeding 60cm but not exceeding 180 cm	5%	0%	0%	5%	5%	lb
4010.33.00	00	--Endless transmission belts of trapezoidal cross-section (V-belts), V-ribbed, of an outside circumference exceeding 180cm but not exceeding 240 cm	5%	0%	0%	5%	5%	lb
4010.34.00	00	--Endless transmission belts of trapezoidal cross-section (V-belts), other than V-ribbed, of an outside circumference exceeding 180 cm but not exceeding 240 cm	5%	0%	0%	5%	5%	lb
4010.35.00	00	--Endless synchronous belts, of an outside circumference exceeding 60 cm but not exceeding 150 cm	5%	0%	0%	5%	5%	lb
4010.36.00	00	--Endless synchronous belts, of an outside circumference exceeding 150 cm but not exceeding 198 cm	5%	0%	0%	5%	5%	lb
4010.39.00	00	--Other	5%	0%	0%	5%	5%	lb
40.11		New pneumatic tyres, of rubber.						
4011.10.00	00	-Of a kind used on motor cars (including station wagons and racing cars)	30%	0%	0%	30%	30%	No/lb
4011.20.00	00	-Of a kind used on buses or lorries	15%	0%	0%	15%	15%	No/lb
4011.30.00	00	-Of a kind used on aircraft	5%	0%	0%	5%	5%	No/lb
4011.40.00	00	-Of a kind used on motorcycles	5%	0%	0%	5%	4.5%	No/lb
4011.50.00	00	-Of as kind used on bicycles	5%	0%	0%	5%	4.5%	No/lb
4011.70.00	00	-Of a kind used on agricultural or forestry vehicles and machines	0%	0%	0%	0%	0%	No/lb
4011.80.00	00	-Of a kind used on construction, mining or industrial handling vehicles and machines	5%	0%	0%	5%	5%	No/lb
4011.90.00	00	-Other	5%	0%	0%	5%	5%	No/lb
40.12		Retreaded or used pneumatic tyres of rubber; solid or cushion tyres, tyre Treads and tryes flaps, or rubber.						
		-Retreaded tyres:						

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EU/ UK	GUAT	TW/ ROC	UNIT(S)
4012.11.00	00	--Of a kind used on motor cars (including station wagons and racing cars)	30%	0%	0%	30%	30%	No/lb
4012.12.00	00	--Of a kind used on buses or lorries	30%	0%	0%	30%	30%	No/lb
4012.13.00	00	--Of a kind used on aircraft	5%	0%	0%	5%	5%	No/lb
4012.19.00	00	--Other	5%	0%	0%	5%	5%	No/lb
		-Used pneumatic tyres:						
4012.20.10	00	---For retreading and remoulding	5%	0%	0%	5%	5%	No/lb
4012.20.90	00	---Other	5%	0%	0%	5%	5%	No/lb
4012.90.00	00	-Other	5%	0%	0%	5%	5%	No/lb
40.13		Inner tubes, of rubber						
		-Of a kind used on motor cars (including station wagons and racing cars), buses or lorries:						
4013.10.10	00	---Of a kind used on motor cars (including station wagons and racing cars)	10%	0%	4%	10%	10%	No/lb
4013.10.90	00	---Of a kind used on buses or lorries	10%	0%	4%	10%	10%	No/lb
4013.20.00	00	-Of a kind used on bicycles	5%	0%	0%	5%	5%	No/lb
		-Other:						
4013.90.10	00	---Of a kind used on motor cycles	5%	0%	0%	5%	5%	No/lb
4013.90.90	00	---Other	5%	0%	0%	5%	5%	No/lb
40.14		Hygienic or pharmaceutical articles (including test), of vulcanized rubber other than hard rubber, with or without fittings of hard rubber.						
4014.10.00	00	-Sheath contraceptives	0%	0%	0%	0%	0%	lb
4014.90.00	00	-Other	0%	0%	0%	0%	0%	lb
40.15		Articles of apparel and clothing accessories (including gloves, mittens and Mitts), for all purposes, of vulcanized rubber other than hard rubber.						
		-Gloves, mittens and mitts:						
4015.12.00	00	--Of a kind used for medical, surgical, dental or veterinary purposes	0%	0%	0%	0%	0%	Doz/prs/lb
4015.19.00	00	--Other	10%	0%	0%	10%	10%	Doz/prs/lb
		-Other:						

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EU/ UK	GUAT	TW/ ROC	UNIT(S)
4015.90.10	00	---Articles of apparel	10%	0%	0%	10%	10%	lb
4015.90.90	00	---Other	10%	0%	0%	10%	10%	lb
40.16		Other articles of vulcanized rubber other than hard rubber.						
4016.10.00	00	-Of cellular rubber -Other:	20%	0%	0%	20%	20%	lb
4016.91.00	00	--Floor coverings and mats	20%	0%	0%	20%	20%	lb
4016.92.00	00	--Erasers	0%	0%	0%	0%	0%	lb
4016.93.00	00	--Gaskets, washers and other seals	20%	0%	20%	20%	20%	lb
4016.94.00	00	--Boat or dock fenders, whether or not inflatable	20%	0%	0%	20%	20%	lb
4016.95.00	00	--Other inflatable articles --Other:	20%	0%	0%	20%	20%	lb
4016.99.10	00	---Rubber bands	20%	0%	0%	20%	20%	lb
4016.99.90	00	---Other	20%	0%	0%	20%	20%	lb
40.17		Hard rubber (for example, ebonite) in all forms, including waste and scrap; articles of hard rubber.						
4017.00.10	00	---Hard rubber (for example, ebonite), in all forms, including waste and scrap	5%	0%	0%	5%	5%	lb
4017.00.20	00	---Articles of hard rubber	5%	0%	0%	5%	5%	lb