

CHAPTER 3

FISH AND CRUSTACEANS, MOLLUSCS AND OTHER AQUATIC INVERTEBRATES

Notes.

1. This Chapter does not cover:
 - (a) Mammals of heading 01.06;
 - (b) Meat of mammals of heading 01.06 (heading 02.08 or 02.10);
 - (c) Fish (including **livers, roes and milt thereof**) or crustaceans, molluscs or other aquatic invertebrates, dead and unfit or unsuitable for human consumption by reason of either their species or their condition (Chapter 5); flours, meals or pellets of fish or of crustaceans, molluscs or other aquatic invertebrates, unfit for human consumption (heading 23.01); or
 - (d) Caviar or caviar substitutes prepared from fish eggs (heading 16.04).
2. In this Chapter the term "**pellets**" means products which have been agglomerated either directly by compression or by the addition of a small quantity of binder.

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|--------------|----|---|-----|---------|-----|------|-----|---------|
| 03.01 | | Live Fish | | | | | | |
| | | -Ornamental fish: | | | | | | |
| | | --Freshwater: | | | | | | |
| 0301.11.10 | 00 | ---For breeding | 0% | 0% | 0% | 0% | | No/lb |
| 0301.11.90 | 00 | ---Other | 40% | 0% | 24% | 40% | | No/lb |
| | | --Other: | | | | | | |
| 0301.19.10 | 00 | ---For breeding | 0% | 0% | 0% | 0% | | No/lb |
| 0301.19.90 | 00 | ---Other | 40% | 0% | 24% | 40% | | No/lb |
| | | -Other live fish: | | | | | | |
| 0301.91.00 | 00 | --Trout (<i>Salmo trutta</i> , <i>Oncorhynchus mykiss</i> , <i>Oncorhynchus clarki</i> , <i>Oncorhynchus aguabonita</i> , <i>Oncorhynchus gilae</i> , <i>Oncorhynchus apache</i> and <i>Oncorhynchus chrysogaster</i>) | 40% | 0% | 24% | 40% | | lb |
| 0301.92.00 | 00 | --Eels (<i>Anguilla</i> spp.) | 40% | 0% | 19% | 40% | | lb |
| 0301.93.00 | 00 | --Carp (<i>Cyprinus</i> spp., <i>Carassius</i> spp, <i>Ctenopharyngodon idellus</i> , <i>Hypophthalmichthys</i> spp., <i>Cirrhinus</i> spp., <i>Mylopharyngodon piceus</i> , <i>Catla catla</i> , <i>Labeo</i> spp., <i>Osteochilus hasselti</i> , <i>Leptobarbus hoeveni</i> , <i>Megalobrama</i> spp.) | 40% | 0% | 27% | 40% | | lb |
| 0301.94.00 | 00 | --Atlantic and Pacific bluefin tunas (<i>Thunnus thynnus</i> , <i>Thunnus orientalis</i>) | 40% | 0% | 19% | 40% | | lb |
| 0301.95.00 | 00 | --Southern bluefin tunas (<i>Thunnus maccoyii</i>) | 40% | 0% | 19% | 40% | | lb |
| | | --Other: | | | | | | |
| 0301.99.10 | 00 | ---For breeding | 0% | 0% | 0% | 0% | | lb |
| 0301.99.90 | 00 | --Other | 40% | 0% | 24% | 40% | | lb |
| 03.02 | | Fish, fresh or chilled, excluding fish fillets and other fish meat of heading 03.04 | | | | | | |
| | | -Salmonidae, excluding edible fish offal of subheading 0302.91 to 0302.99: | | | | | | |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|------------|----|---|-----|---------|-----|------|-----|---------|
| 0302.11.00 | 00 | --Trout (<i>Salmo trutta</i> , <i>Oncorhynchus mykiss</i> , <i>Oncorhynchus clarki</i> , <i>Oncorhynchus aguabonita</i> , <i>Oncorhynchus gilae</i> , <i>Oncorhynchus apache</i> and <i>Oncorhynchus chrysogaster</i>) | 40% | 0% | 40% | 40% | | lb |
| 0302.13.00 | 00 | --Pacific salmon (<i>Oncorhynchus nerka</i> , <i>Oncorhynchus gorbusha</i> , <i>Oncorhynchus keta</i> , <i>Oncorhynchus tshawytscha</i> , <i>Oncorhynchus kisutch</i> , <i>Oncorhynchus masou</i> and <i>Oncorhynchus rhodurus</i>) | 40% | 0% | 40% | 40% | | lb |
| 0302.14.00 | 00 | --Atlantic salmon (<i>Salmo salar</i>) and Danube salmon (<i>Hucho hucho</i>) | 40% | 0% | 40% | 40% | | lb |
| 0302.19.00 | 00 | --Other -Flat fish (<i>Pleuronectidae</i> , <i>Bothidae</i> , <i>Cynoglossidae</i> , <i>Soleidae</i> , <i>Scophthalmidae</i> , and <i>Citharidae</i>), excluding edible fish offal of subheadings 0302.91 to 0302.99: | 40% | 0% | 40% | 40% | | lb |
| 0302.21.00 | 00 | --Halibut (<i>Reinhardtius hippoglossoides</i> , <i>Hippoglossus hippoglossus</i> , <i>Hippoglossus stenolepis</i>) | 40% | 0% | 40% | 40% | | lb |
| 0302.22.00 | 00 | --Plaice (<i>Pleuronectes platessa</i>) | 40% | 0% | 40% | 40% | | lb |
| 0302.23.00 | 00 | --Soles (<i>Solea spp.</i>) | 40% | 0% | 40% | 40% | | lb |
| 0302.24.00 | 00 | --Turbot (<i>Psetta maxima</i>) | 40% | 0% | 40% | 40% | | lb |
| 0302.29.00 | 00 | --Other -Tunas (of the genus <i>Thunnus</i>), skipjack or stripe-bellied bonito (<i>Euthynnus (Katsuwonus) pelamis</i>), excluding edible fish offal of subheading 0302.91 to 0302.99 : | 40% | 0% | 40% | 40% | | lb |
| 0302.31.10 | 00 | --Albacore or longfinned tunas (<i>Thunnus Alalunga</i>): ---For processing | 0% | 0% | 0% | 0% | | lb |
| 0302.31.90 | 00 | ---Other --Yellowfin tunas (<i>Thunnus albacares</i>): | 40% | 0% | 40% | 40% | | lb |
| 0302.32.10 | 00 | ---For processing | 0% | 0% | 0% | 0% | | lb |
| 0302.32.90 | 00 | ---Other | 40% | 0% | 40% | 40% | | lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|------------|----|---|------|---------|------|------|-----|---------|
| 0302.33.00 | 00 | --Skipjack or stripe-bellied bonito | .40% | .0% | .40% | .40% | | .lb |
| 0302.34.00 | 00 | --Bigeye tunas (<i>Thunnus obesus</i>) | .40% | .0% | .40% | .40% | | .lb |
| 0302.35.00 | 00 | --Atlantic and Pacific Bluefin tunas (<i>Thunnus thynnus</i> , <i>Thunnus orientalis</i>) | .40% | .0% | .40% | .40% | | .lb |
| 0302.36.00 | 00 | --Southern bluefin tunas (<i>Thunnus maccoyii</i>) | 40% | .0% | .40% | .40% | | .lb |
| 0302.39.00 | 00 | --Other -Herrings (<i>Clupea harengus</i> , <i>Clupea pallasii</i>), anchovies (<i>Engraulis</i> spp.), sardines (<i>Sardina pilchardus</i> , <i>Sardinops</i> spp.), sardinella (<i>Sardinella</i> spp.), brisling or sprats (<i>Sprattus sprattus</i>), mackerel (<i>Scomber scombrus</i> , <i>Scomber australasicus</i> , <i>Scomber japonicus</i>), Indian mackerels (<i>Rastrelliger</i> spp.), seerfishes (<i>Scomberomorus</i> spp.) jack and horse mackerel (<i>Trachurus</i> spp.), jacks, crevalles (<i>Caranx</i> spp.) cobia (<i>Rachycentron canadum</i>) silver pomfrets (<i>Pampus</i> spp.) , Pacific saury (<i>Coloblabis saira</i>), scads (<i>Decapterus</i> spp.) capelin (<i>Mallotus villosus</i>) , swordfish (<i>Xiphias gladius</i>), Kawakawa (<i>Euthynnus affinis</i>) , bonitos (<i>sarda</i> spp.), marlins, sailfishes, spearfish (<i>Istiophoridae</i>), excluding edible fish offal of subheadings 0302.91 to 0302.99: | .40% | .0% | .40% | .40% | | .lb |
| 0302.41.10 | 00 | --Herrings (<i>Clupea harengus</i> , <i>Clupea pallasii</i>) | | | | | | |
| | | ---For Processing | .0% | .0% | .0% | .0% | | .lb |
| 0302.41.20 | 00 | ---Other | .40% | .0% | .40% | .40% | | .lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|------------|----|--|-----|---------|-----|------|-----|---------|
| 0302.42.00 | 00 | --Anchovies (<i>Engraulis spp.</i>) --Sardines (<i>Sardina pilchardus</i> , <i>Sardinops spp.</i>), sardinella (<i>Sardinella spp.</i>), brisling or sprats (<i>Sprattus sprattus</i>) | 40% | 0% | 40% | 40% | | lb |
| 0302.43.10 | 00 | ---For processing | 0% | 0% | 0% | 0% | | lb |
| 0302.43.90 | 00 | ---Other --Mackerel (<i>Scomber scombrus</i> , <i>Scomber australasicus</i> , <i>Scomber japonicus</i>) | 40% | 0% | 40% | 40% | | lb |
| 0302.44.10 | 00 | ---For processing | 0% | 0% | 0% | 0% | | lb |
| 0302.44.90 | 00 | ---Other | 40% | 0% | 40% | 40% | | lb |
| 0302.45.00 | 00 | --Jack and horse mackerel (<i>Trachurus spp</i>) | 40% | 0% | 40% | 40% | | lb |
| 0302.46.00 | 00 | --Cobia (<i>Rachycentron canadum</i>) | 40% | 0% | 40% | 40% | | lb |
| 0302.47.00 | 00 | --Swordfish (<i>Xiphias gladius</i>) --Other | 40% | 0% | 40% | 40% | | lb |
| 0302.49.10 | 00 | ---Alewives and saithe, for processing | 0% | 0% | 40% | 40% | | lb |
| 0302.49.90 | 00 | ---Other - Fish of the families <i>Bregmacerotidae</i> , <i>Euclichthyidae</i> , <i>Gadidae</i> , <i>Macrouridae</i> , <i>Melanonidae</i> , <i>Merlucciidae</i> , <i>Moridae</i> , and <i>Muraenolepididae</i> , excluding edible fish off of subheadings 0302.91 to 0302.99: --Cod (<i>Gadus morhua</i> , <i>Gadus ogac</i> , <i>Gadus macrocephalus</i>) | 40% | 0% | 40% | 40% | | lb |
| 0302.51.10 | 00 | ---For processing | 0% | 0% | 0% | 0% | | lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|------------|----|--|-----|---------|-----|------|-----|---------|
| 0302.51.90 | 00 | ---Other --Haddock (<i>Melanogrammus aeglefinus</i>) | 40% | 0% | 40% | 40% | | lb |
| 0302.52.10 | 00 | ---For processing | 0% | 0% | 0% | 0% | | lb |
| 0302.52.90 | 00 | ---Other | 40% | 0% | 40% | 40% | | lb |
| 0302.53.00 | 00 | --Coalfish (<i>Pollachius virens</i>) --Hake (<i>Merluccius spp., Urophycis spp.</i>) | 40% | 0% | 40% | 40% | | lb |
| 0302.54.10 | 00 | ---For processing | 0% | 0% | 0% | 0% | | lb |
| 0302.54.90 | 00 | ---Other --Alaska Pollack (<i>Theragra chalcogramma</i>) | 40% | 0% | 40% | 40% | | lb |
| 0302.55.10 | 00 | ---For processing | 0% | 0% | 0% | 0% | | lb |
| 0302.55.90 | 00 | ---Other | 40% | 0% | 40% | 40% | | lb |
| 0302.56.00 | 00 | --Blue Whittings (<i>Micromesistius poutassou, Micromesistius australis</i>) | 40% | 0% | 40% | 40% | | lb |
| 0302.59.00 | 00 | --Other | 40% | 0% | 40% | 40% | | lb |
| | | -Tilapias (<i>Oreochromis spp.</i>), catfish (<i>Pangasius spp., Silurus spp., Clarias spp., Ictalurus spp.</i>), carp (<i>Cyprinus spp., Carassius spp., Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., mylopharyngodon piceus, Catla catla, Labeo spp., Osteochilus hasselti, Leptobarbus hoeveni, Megalobrama spp.</i>), eels (<i>Anguilla spp.</i>) Nile perch (<i>lates niloticus</i>) and snakeheads (<i>channa spp.</i>), excluding edible fish offal of subheadings 0302.91 to 0302.99 : | | | | | | |
| 0302.71.00 | 00 | | 40% | 0% | 40% | 40% | | lb |
| 0302.72.00 | 00 | --Tilapias (<i>Oreochromis spp.</i>) --Catfish (<i>Pangasius spp., Silurus spp., Clarias spp., Ictalurus spp.</i>) | 40% | 0% | 40% | 40% | | lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|--------------|----|---|-----|---------|-----|------|-----|---------|
| 0302.73.00 | 00 | --Carp (<i>Cyprinus</i> spp., <i>Carassius</i> spp., <i>Ctenopharyngodon idellus</i> , <i>Hypophthalmichthys</i> spp., <i>Cirrhinus</i> spp., <i>Mylopharyngodon piceus</i> , <i>Catla catla</i> , <i>Labeo</i> spp. <i>Osteochilus hasselti</i> , <i>Leptobarbus hoeveni</i> , <i>Megalobrama</i> spp.) | 40% | 0% | 40% | 40% | | lb |
| 0302.74.00 | 00 | --Eels (<i>Anguilla</i> spp.) | 40% | 0% | 40% | 40% | | lb |
| 0302.79.00 | 00 | --Other -Other fish, excluding edible fish offal of subheadings 0302.91 to 0302.99: | 40% | 0% | 40% | 40% | | lb |
| 0302.81.00 | 00 | --Dogfish and other sharks | 40% | 0% | 40% | 40% | | lb |
| 0302.82.00 | 00 | --Rays and Skates (<i>Rajidae</i>) | 40% | 0% | 40% | 40% | | |
| 0302.83.00 | 00 | --Toothfish (<i>Dissostichus</i> spp.) | 40% | 0% | 40% | 40% | | lb |
| 0302.84.00 | 00 | --Seabass (<i>Dicentrarchus</i> spp.) | 40% | 0% | 40% | 40% | | lb |
| 0302.85.00 | 00 | --Seabream (<i>Sparidae</i>) --Other : | 40% | 0% | 40% | 40% | | lb |
| 0302.89.10 | 00 | ---Alewives and saithe, for processing | 0% | 0% | 0% | 0% | | lb |
| 0302.89.20 | 00 | ---Snapper, croaker, grouper, dolphinfish (<i>mahi-mahi</i> , <i>dorado</i>) bangamary | 40% | 0% | 40% | 40% | | lb |
| 0302.89.30 | 00 | ---Flying fish | 40% | 0% | 40% | 40% | | lb |
| 0302.89.90 | 00 | ---Other -Livers and roes,milt, fish fins, heads, tails, maws and other edible fish offal: | 40% | 0% | 40% | 40% | | lb |
| 0302.91.00 | 00 | --Livers roes and milt | 40% | 0% | 40% | 40% | | lb |
| 0302.92.00 | 00 | --Shark fins --Other | 40% | 0% | 40% | 40% | | lb |
| 0302.99.10 | 00 | --- for processing | 0% | 0% | 0% | 0% | | lb |
| 0302.99.90 | 00 | --- other | 40% | 0% | 40% | 40% | | lb |
| 03.03 | | Fish, frozen, excluding fish fillets and other fish meat of heading 03.04 -Salmonidae, excluding edible fish offal of subheadings 0303.91 to 0303.99: | | | | | | |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|------------|----|---|-----|---------|-----|------|-----|---------|
| 0303.11.00 | 00 | --Sockeye salmon (red salmon) (<i>Oncorhynchus Nerka</i>) | 40% | 0% | 40% | 40% | | lb |
| 0303.12.00 | 00 | --Other Pacific salmon (<i>Oncorhynchus gorbusha</i> , <i>Oncorhynchus keta</i> , <i>Oncorhynchus tshawytscha</i> , <i>Oncorhynchus kisutch</i> , <i>Oncorhynchus masou</i> and <i>Oncorhynchus rhodurus</i>) | 40% | 0% | 40% | 40% | | lb |
| 0303.13.00 | 00 | --Atlantic salmon (<i>Salmo salar</i>) and Danube salmon (<i>Hucho hucho</i>) | 40% | 0% | 40% | 40% | | lb |
| 0303.14.00 | 00 | --Trout (<i>Salmo trutta</i> , <i>Oncorhynchus mykiss</i> , <i>Oncorhynchus clarki</i> , <i>Oncorhynchus aguabonita</i> , <i>Oncorhynchus gilae</i> , <i>Oncorhynchus apache</i> and <i>Oncorhynchus chrysogaster</i>) | 40% | 0% | 40% | 40% | | lb |
| 0303.19.00 | 00 | --Other -Tilapias (<i>Oreochromis</i> spp.), catfish (<i>Pangasius</i> spp., <i>Silurus</i> spp., <i>clarias</i> spp., <i>Ictalurus</i> spp., carp (<i>Cyprinus carpio</i> , <i>Carassius carassius</i> , <i>Ctenopharyngodon idellus</i> , <i>Hypophthalmichthys</i> spp., <i>Cirrhinus</i> spp., <i>Mylopharyngodon piceus</i> , Catla catla , Labeo spp., Mylopharyngodon piceus Catla catla , Labeo spp., Osteochilus hasselti , Leptobarbus hoeveni , Megalobrama spp.), eels (<i>Anguilla</i> spp.), Nile perch (<i>Lates niloticus</i>) and snakeheads (<i>Channa</i> spp.), excluding fish offal of subheadings 0303.91 to 0303.99: | 40% | 0% | 40% | 40% | | lb |
| 0303.23.00 | 00 | --Tilapias (<i>Oreochromis</i> spp.) | 40% | 0% | 40% | 40% | | lb |
| 0303.24.00 | 00 | --Catfish (<i>Pangasius</i> spp., <i>Silurus</i> spp., <i>Clarias</i> spp. <i>Ictalurus</i> spp.) | 40% | 0% | 40% | 40% | | lb |
| 0303.25.00 | 00 | --Carp (<i>Cyprinus</i> spp., <i>Carassius</i> spp., <i>carassius</i> , <i>Ctenopharyngodon idellus</i> , <i>Hypophthalmichthys</i> spp., <i>Cirrhinus</i> spp., <i>Mylopharyngodon piceus</i>) Catla catla , labeo spp. Osteochilus hasselti , Leptobarbus hoeveni , Megalobrama spp.) | 40% | 0% | 40% | 40% | | lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|------------|----|--|-----|---------|-----|------|-----|---------|
| 0303.26.00 | 00 | --Eels (<i>Anguilla</i> spp.) | 40% | 0% | 40% | 40% | | lb |
| 0303.29.00 | 00 | --Other | 40% | 0% | 40% | 40% | | lb |
| | | -Flat Fish (<i>Pleuronectidae</i> , <i>Bothidae</i> , <i>Cynoglossidae</i> , <i>Soleidae</i> , <i>Scophthalmidae</i> and <i>Citharidae</i>), excluding edible fish offal of subheadings 0303.91 to 0303.99: | | | | | | |
| 0303.31.00 | 00 | --Halibut (<i>Reinhardtius hippoglossoides</i> , <i>Hippoglossus Hippoglossus</i> , <i>Hippoglossus stenolepis</i>) | 40% | 0% | 40% | 40% | | lb |
| 0303.32.00 | 00 | --Plaice (<i>Pleuronectes platessa</i>) | 40% | 0% | 40% | 40% | | lb |
| 0303.33.00 | 00 | --Sole (<i>Solea</i> spp.) | 40% | 0% | 40% | 40% | | lb |
| 0303.34.00 | 00 | --Turbot (<i>Psetta Maxima</i>) | 40% | 0% | 40% | 40% | | lb |
| 0303.39.00 | 00 | --Other | 40% | 0% | 40% | 40% | | lb |
| | | -Tunas (of the genus <i>Thunnus</i>) skipjack or stripe-bellied bonito (<i>Euthynnus (Katsuwonus) pelamis</i>), excluding edible fish offal of subheadings 0303.91 to 0303.99: | | | | | | |
| | | --Albacore or longfinned tunas(<i>Thunnus alalunga</i>): | | | | | | lb |
| 0303.41.10 | 00 | ---For processing | 0% | 0% | 0% | 0% | | lb |
| 0303.41.90 | 00 | ---Other | 40% | 0% | 0% | 40% | | lb |
| | | --Yellowfin tunas (<i>Thunnus albacares</i>): | | | | | | lb |
| 0303.42.10 | 00 | ---For processing | 0% | 0% | 40% | 0% | | lb |
| 0303.42.90 | 00 | ---Other | 40% | 0% | 40% | 40% | | lb |
| 0303.43.00 | 00 | --Skipjack or stripe-bellied bonito | 40% | 0% | 40% | 40% | | lb |
| 0303.44.00 | 00 | --Bigeye tunas (<i>Thunnus obesus</i>) | 40% | 0% | 40% | 40% | | lb |
| 0303.45.00 | 00 | --Atlantic and pacific Bluefin tunas (<i>Thunnus thynnus</i> , <i>Thunnus orientalis</i>) | 40% | 0% | 40% | 40% | | lb |
| 0303.46.00 | 00 | --Southern bluefin tunas (<i>Thunnus maccoyii</i>) | 40% | 0% | 40% | 40% | | lb |
| 0303.49.00 | 00 | --Other | 40% | 0% | 40% | 40% | | lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|------------|----|--|-----|---------|-----|------|-----|---------|
| | | -Herrings (Clupea harengus, Clupea pallasii), anchovies (Engraulis spp.), sardines (Sardina pilchardus, Sardinops spp.) sardinella (Sardinella spp.) brisling or sprats (Sprattus sprattus), mackerel (Scomber scombrus, Scomber australasicus, Scomber japonicus), Indian mackerels (Rastrelliger spp.) seerfishes (Scomberomorus spp.) jack and horse mackerel (Trachurus spp.), jacks, crevalles (Caranx spp.) cobia (Rachycentron canadum) silver pomfrets (Pampus spp.) Pacific saury (Cololabis saira) scads (Decapterus spp.) capelin (Mallotus villosus), swordfish (Xiphias gladius) Kawakawa (Euthynnus affinis), bonitos (Sarda spp) marlins sailfishes, spearfish (Istiophoridae), excluding edible fish offal of subheadings 0303.91 to 0303.99 | | | | | | |
| | | --Herrings (Clupea harengus, Clupea pallasii): | | | | | | |
| 0303.51.10 | 00 | ---For processing | 0% | 0% | 0% | 0% | | lb |
| 0303.51.90 | 00 | ---Other | 40% | 0% | 0% | 40% | | lb |
| | | --Sardines (Sardina pilchardus, Sardinops spp.), sardinella (Sardinella spp.), brisling or sprats (Sprattus sprattus) | | | | | | |
| 0303.53.10 | 00 | ---For processing | 0% | 0% | 0% | 0% | | lb |
| 0303.53.90 | 00 | ---Other | 40% | 0% | 40% | 40% | | lb |
| | | --Mackerel (Scomber scombrus, Scomber australasicus, Scomber japonicus) | | | | | | |
| 0303.54.10 | 00 | ---For processing | 0% | 0% | 0% | 0% | | lb |
| 0303.54.90 | 00 | ---Other | 40% | 0% | 40% | 40% | | lb |
| 0303.55.00 | 00 | --Jack and horse mackerel (Trachurus spp.) | 40% | 0% | 40% | 40% | | lb |
| 0303.56.00 | 00 | --Cobia (Rachycentron canadum) | 40% | 0% | 40% | 40% | | lb |
| | | --Swordfish (Xiphias gladius) | | | | | | |
| 0303.57.10 | 00 | ---For processing | 0% | 0% | 0% | 0% | | lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|------------|----|--|-----|---------|-----|------|-----|---------|
| 0303.57.90 | 00 | ---Other | 40% | 0% | 40% | 40% | | lb |
| 0303.59.00 | 00 | --Other -Fish of the families Bregmacerotidae, Eulichthyidae, Gadidae, Macrouridae, Melanonidae, Merlucciidae, Moridae and Muraenolepididae, excluding edible fish offal of subheadings 0303.91 to 0303.99: | 40% | 0% | 40% | 40% | | lb |
| 0303.63.10 | 00 | --Cod (<i>Gadus morhua</i> , <i>Gadus ogac</i> , <i>Gadus macrocephalus</i>): ---For processing | 0% | 0% | 0% | 0% | | lb |
| 0303.63.90 | 00 | ---Other | 40% | 0% | 40% | 40% | | lb |
| 0303.64.10 | 00 | --Haddock (<i>Melanogrammus aeglefinus</i>) ---For processing | 0% | 0% | 0% | 0% | | lb |
| 0303.64.90 | 00 | ---Other | 40% | 0% | 40% | 40% | | lb |
| 0303.65.00 | 00 | --Coalfish (<i>Pollachius virens</i>) --Hake (<i>Merluccius spp.</i> <i>Urophycis spp.</i>) | 40% | 0% | 40% | 40% | | lb |
| 0303.66.10 | 00 | ---For processing | 0% | 0% | 0% | 0% | | lb |
| 0303.66.90 | 00 | ---Other | 40% | 0% | 40% | 40% | | lb |
| 0303.67.00 | 00 | --Alaska Pollack (<i>Theragra chalcogramma</i>) | 40% | 0% | 40% | 40% | | lb |
| 0303.68.00 | 00 | --Blue whittings (<i>Micromesistius poutassou</i> , <i>Micromesistius australis</i>) | 40% | 0% | 40% | 40% | | lb |
| 0303.69.00 | 00 | --Other -Other fish, excluding edible fish offal of subheadings 0303.91 to 0303.99: | 40% | 0% | 40% | 40% | | lb |
| 0303.81.00 | 00 | --Dogfish and other sharks | 40% | 0% | 24% | 40% | | lb |
| 0303.82.00 | 00 | --Rays and skates (<i>Rajidae</i>) | 40% | 0% | 40% | 40% | | lb |
| 0303.83.10 | 00 | --Toothfish (<i>Dissostichus spp.</i>) ---For processing | 0% | 0% | 0% | 0% | | lb |
| 0303.83.90 | 00 | ---Other | 40% | 0% | 40% | 40% | | lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|--------------|----|--|-----|---------|-----|------|-----|---------|
| 0303.84.00 | 00 | --Seabass (<i>Dicentrarchus spp.</i>) | 40% | 0% | 24% | 40% | | lb |
| | | --Other | | | | | | |
| 0303.89.10 | 00 | ---Alewives, saithe and pollock, for processing | 0% | 0% | 0% | 0% | | lb |
| 0303.89.20 | 00 | ---Snapper, croaker, grouper, dolphinfish (mahi-mahi) and bangamary | 40% | 0% | 40% | 40% | | lb |
| 0303.89.30 | 00 | ---Flying fish | 40% | 0% | 40% | 40% | | lb |
| 0303.89.90 | 00 | ---Other | 40% | 0% | 40% | 40% | | lb |
| | | -Livers, roes, milt, fish fins, heads, tails, maws and other edible fish offal: | | | | | | |
| | | ---Livers, roes and milt | | | | | | |
| 0303.91.10 | 00 | ---livers | 40% | 0% | 40% | 40% | | lb |
| 0303.91.20 | 00 | ---Roes | 40% | 0% | 40% | 40% | | lb |
| 0303.91.30 | 00 | ---Milt | 40% | 0% | 40% | 40% | | lb |
| 0303.92.00 | 00 | --Shark fins | 40% | 0% | 40% | 40% | | lb |
| | | --Other | | | | | | |
| 0303.99.10 | 00 | --- For processing | 0% | 0% | 40% | 40% | | lb |
| 0303.99.90 | 00 | --- Other | 40% | 0% | 40% | 40% | | lb |
| 03.04 | | Fish fillets and other fish meat (whether or not minced), fresh, chilled or frozen. | | | | | | |
| | | -Fresh or chilled fillets of tilapias (<i>Oreochromis spp.</i>), catfish (<i>Pangasius spp.</i> , <i>Silurus spp.</i> , <i>Clarias spp.</i> , <i>Ictalurus spp.</i>), carp (<i>Cyprinus Spp.</i> , <i>Carassius spp.</i> , <i>Ctenopharyngodon idellus</i> , <i>Hypophthalmichthys spp.</i> , <i>Cirrhinus spp.</i> , <i>Mylopharyngodon piceus</i> , <i>Catla catla</i> , <i>Labeo spp.</i> , <i>Osteochilus hasselti</i> , <i>Leptobarbus hoeveni</i> , <i>Megalobrama spp.</i>) eels (<i>Anguilla spp.</i>), Nile perch (<i>Lates niloticus</i>) and snakeheads (<i>Channa spp.</i>): | | | | | | |
| 0304.31.00 | 00 | --Tilapias (<i>Oreochromis spp.</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.32.00 | 00 | --Catfish (<i>Pangasius spp.</i> , <i>Silurus spp.</i> , <i>Clarias spp.</i> , <i>Ictalurus spp.</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.33.00 | 00 | --Nile perch (<i>Lates niloticus</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.39.00 | 00 | --Other | 40% | 0% | 40% | 40% | | lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|------------|----|---|-----|---------|-----|------|-----|---------|
| 0304.41.00 | 00 | -Fresh or chilled fillets of other fish: --Pacific salmon (<i>Oncorhynchus nerka</i> , <i>Oncorhynchus gorbusha</i> , <i>Oncorhynchus keta</i> , <i>Oncorhynchus tshawytscha</i> , <i>Oncorhynchus kisutch</i> , <i>Oncorhynchus masou</i> and <i>Oncorhynchus rhodurus</i>), Atlantic salmon (<i>Salmo salar</i>) and Danube salmon (<i>Hucho hucho</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.42.00 | 00 | --Trout (<i>Salmo trutta</i> , <i>Oncorhynchus mykiss</i> , <i>Oncorhynchus clarki</i> , <i>Oncorhynchus</i> <i>aguabonita</i> , <i>Oncorhynchus gilae</i> , <i>Oncorhynchus apache</i> and <i>Oncorhynchus</i> <i>chrysogaster</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.43.00 | 00 | --Flat fish (<i>Pleuronectidae</i> , <i>Bothidae</i> , <i>Cynoglossidae</i> , <i>Soleidae</i> , <i>Scophthalmidae</i> and <i>Citharidae</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.44.00 | 00 | --Fish of the families <i>Bregmacerotidae</i> , <i>Euclichthyidae</i> , <i>Gadidae</i> , <i>Macrouridae</i> , <i>Melanonidae</i> , <i>Merlucciidae</i> , <i>Moridae</i> and <i>Muraenolepididae</i> | 40% | 0% | 40% | 40% | | lb |
| 0304.45.00 | 00 | --Swordfish (<i>Xiphias gladius</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.46.00 | 00 | --Toothfish (<i>Dissostichus</i> spp.) | 40% | 0% | 40% | 40% | | lb |
| 0304.47.00 | 00 | --Dogfish and other sharks | 40% | 0% | 40% | 40% | | lb |
| 0304.48.00 | 00 | --Rays and skates (<i>Rajidae</i>) | 40% | 0% | 40% | 40% | | lb |
| | | --Other: | | | | | | |
| 0304.49.10 | 00 | ---Flying fish | 40% | 0% | 40% | 40% | | lb |
| 0304.49.90 | 00 | --- Other | 40% | 0% | 40% | 40% | | lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|------------|----|--|-----|---------|-----|------|-----|---------|
| 0304.51.00 | 00 | -Other, fresh or chilled --Tilapias (<i>Oreochromis</i> spp.), catfish (<i>Pangasius</i> spp., <i>Silurus</i> spp. <i>Clarias</i> spp., <i>Ictalurus</i> spp.), carp (<i>Cyprinus carpio</i> , <i>Carassius</i> spp., <i>Ctenopharyngodon idellus</i> , <i>Hypophthalmichthys</i> spp., <i>Cirrhinus</i> spp., <i>Mylopharyngodon piceus</i> , <i>Catla catla</i> , <i>Labeo</i> spp., <i>Osteochilus hasselti</i> , <i>Leptobarbus hoeveni</i> , <i>Megalobrama</i> spp.), eels (<i>Anguilla</i> spp.), Nile perch (<i>Lates niloticus</i>) and snakeheads (<i>channa</i> spp.) | 40% | 0% | 40% | 40% | | lb |
| 0304.52.00 | 00 | --Salmonidae | 40% | 0% | 40% | 40% | | lb |
| 0304.53.00 | 00 | --Fish of the families Bregmacerotidae, Euclichthyidae, Gadidae, Macrouridae, Melanonidae, Merluccidae, Moridae and Muraenolepididae | 40% | 0% | 40% | 40% | | lb |
| 0304.54.00 | 00 | --Swordfish (<i>Xiphias Gladius</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.55.00 | 00 | --Toothfish (<i>Dissostichus</i> spp.) | 40% | 0% | 40% | 40% | | lb |
| 0304.56.00 | 00 | --Dogfish and other sharks | 40% | 0% | 40% | 40% | | lb |
| 0304.57.00 | 00 | --Rays and skates (<i>Rajidae</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.59.00 | 00 | --Other -Frozen fillets of tilapias (<i>Oreochromis</i> spp.), catfish (<i>Pangasius</i> spp., <i>Silurus</i> spp., <i>Clarias</i> spp., <i>Ictalurus</i> spp.), carp (<i>Cyprinus</i> spp., <i>Carassius</i> , <i>Ctenopharyngodon idellus</i> , <i>Hypophthalmichthys</i> spp., <i>Cirrhinus</i> spp., <i>Mylopharyngodon piceus</i> , <i>Catla catla</i> , <i>Labeo</i> spp., <i>Ostechilus hasselti</i> , <i>Leptobarbus hoeveni</i> , <i>Megalobrama</i> spp.), eels (<i>Anguilla</i> spp.), Nile perch (<i>Lates niloticus</i>) and snakeheads (<i>Channa</i> spp.): | 40% | 0% | 40% | 40% | | lb |
| 0304.61.00 | 00 | --Tilapias (<i>Oreochromis</i> spp.) | 40% | 0% | 40% | 40% | | lb |
| 0304.62.00 | 00 | --Catfish (<i>Pangasius</i> spp., <i>Silurus</i> spp., <i>Clarias</i> spp., <i>Ictalurus</i> spp.) | 40% | 0% | 40% | 40% | | lb |
| 0304.63.00 | 00 | --Nile perch (<i>Lates niloticus</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.69.00 | 00 | --Other -Frozen fillets of fish of the families <i>Bregmacerotidae</i> , <i>Euclichthyidae</i> , <i>Gadidae</i> , <i>Macrouridae</i> , <i>Melanonidae</i> , <i>Merlucciidae</i> , <i>Moridae</i> and <i>Muraenolepididae</i> : | 40% | 0% | 40% | 40% | | lb |
| 0304.71.00 | 00 | --Cod (<i>Gadus morhua</i> , <i>Gadus ogac</i> , <i>Gadus macrocephalus</i>) | 40% | 0% | 40% | 40% | | lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|------------|----|---|-----|---------|-----|------|-----|---------|
| 0304.72.00 | 00 | --Haddock (<i>Melanogrammus aeglefinus</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.73.00 | 00 | --Coalfish (<i>Pollachius virens</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.74.00 | 00 | --Hake (<i>Merluccius spp.</i> , <i>Urophycis spp.</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.75.00 | 00 | --Alaska Pollack (<i>Theragra chalcogramma</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.79.00 | 00 | --Other | 40% | 0% | 40% | 40% | | lb |
| | | -Frozen fillets of other fish: | | | | | | |
| 0304.81.00 | 00 | --Pacific salmon (<i>Oncorhynchus nerka</i> , <i>oncorhynchus gorbuscha</i> , <i>Oncorhynchus keta</i> , <i>Oncorhynchus tshawytscha</i> , <i>Oncorhynchus kisutch</i> , <i>Oncorhynchus masou</i> and <i>Oncorhynchus rhodurus</i>), Atlantic salmon (<i>Salmo salar</i>) and Danube salmon (<i>Hucho hucho</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.82.00 | 00 | --Trout (<i>Salmo trutta</i> , <i>Oncorhynchus mykiss</i> , <i>Oncorhynchus clarki</i> , <i>Oncorhynchus aguabonita</i> , <i>Oncorhynchus gilae</i> , <i>Oncorhynchus apache</i> and <i>Oncorhynchus chrysogaster</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.83.00 | 00 | --Flat fish (<i>Pleuronectidae</i> , <i>Bothidae</i> , <i>Cynoglossidae</i> , <i>Soleidae</i> , <i>Scophthalmidae</i> and <i>Citharidae</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.84.00 | 00 | --Swordfish (<i>Xiphias gladius</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.85.00 | 00 | --Toothfish (<i>Dissostichus spp.</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.86.00 | 00 | --Herrings (<i>Clupea harengus</i> , <i>Clupea pallasii</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.87.00 | 00 | --Tunas (of the genus <i>Thunnus</i>), skipjack or stripe-bellied bonito (<i>Euthynnus (Katsuwonus) pelamis</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.88.00 | 00 | --Dogfish, other sharks, rays and skates (<i>Rajidae</i>) | 40% | 0% | 40% | 40% | | lb |
| | | --Other | | | | | | |
| 0304.89.10 | 00 | ---Flying fish | 40% | 0% | 40% | 40% | | lb |
| 0304.89.90 | 00 | ---Other | 40% | 0% | 40% | 40% | | lb |
| | | -Other, frozen: | | | | | | |
| 0304.91.00 | 00 | --Swordfish (<i>Xiphias gladius</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.92.00 | 00 | --Toothfish (<i>Dissostichus spp</i>) | 40% | 0% | 40% | 40% | | lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|--------------|----|---|-----|---------|-----|------|-----|---------|
| 0304.93.00 | 00 | --Tilapias (<i>Oreochromis spp.</i>), catfish (<i>Pangasius spp.</i> , <i>Silurus spp.</i> , <i>Clarias spp.</i> , <i>Ictalurus spp.</i>), carp (<i>Cyprinus carpio</i> , <i>Carassius spp.</i> , <i>Cirrhinus spp.</i> , <i>Ctenopharyngodon idellus</i> , <i>Hypothalmichthys spp.</i> , <i>Cirrhinus spp.</i> , <i>Mylopharyngodon piceus</i> , <i>Catla catla</i> , <i>Labeo spp.</i> , <i>Osteochilus hasselti</i> , <i>Leptobarbus hoeveni</i> , <i>Megalobrama spp.</i>) eels (<i>anguilla spp.</i>) Nile perch (<i>Lates niloticus</i>) and snakeheads (<i>Channa spp.</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.94.00 | 00 | --Alaska Pollack (<i>Theragra chalcogramma</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.95.00 | 00 | --Fish of the families Bregmacerotidae, Eulichthyidae, Gadidae, Macrouridae, Melanonidae, Merlucciidae, Moridae and Muraenolepididae, other than Alaska Pollack (<i>Theragra chalcogramma</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.96.00 | 00 | --Dogfish and other sharks | 40% | 0% | 40% | 40% | | lb |
| 0304.97.00 | 00 | --Rays and skates (<i>Rajidae</i>) | 40% | 0% | 40% | 40% | | lb |
| 0304.99.00 | 00 | --Other | 40% | 0% | 40% | 40% | | lb |
| 03.05 | | Fish, dried, salted or in brine; smoked fish, whether or not cooked before or during the smoking process; flours, meals and pellets of fish, fit for human consumption. | | | | | | |
| 0305.10.00 | 00 | -Flours, meals and pellets of fish, fit for human consumption | 20% | 0% | 12% | 20% | | lb |
| 0305.20.00 | 00 | -Livers , roes and milt of fish , dried, smoked, salted or in brine -Fish fillets, dried, salted or in brine, but not smoked | 20% | 0% | 10% | 20% | | lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|------------|----|---|-----|---------|-----|------|-----|---------|
| 0305.31.00 | 00 | --Tilapias (Oreochromis spp.), catfish (Pangasius spp., Silurus spp., Clarias spp., Ictalurus spp.), carp (Cyprinus spp., Carassius spp., Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus, Catla catla , Labeo spp. , Osteochilus hasselti , Lepotobarbus hoeveni , Megalobrama spp.), eels (<i>Anguilla</i> spp.), Nile perch (<i>Lates niloticus</i>) and snakeheads (<i>Channa</i> spp.) | 20% | 0% | 20% | 20% | | lb |
| 0305.32.00 | 00 | --Fish of the families Bregmacerotidae, Euclichthyidae, Gadidae, Macrouridae, Melanonidae, Merlucciidae, Moridae and Muraenolepididae | 20% | 0% | 20% | 20% | | lb |
| 0305.39.00 | 00 | --Other -Smoked fish, including fillets, other than edible fish offal: | 20% | 0% | 20% | 20% | | lb |
| 0305.41.00 | 00 | --Pacific salmon (<i>Oncorhynchus nerka</i> , <i>Oncorhynchus gorbuscha</i> , <i>Oncorhynchus keta</i> , <i>Oncorhynchus tshawytscha</i> , <i>Oncorhynchus kisutch</i> , <i>Oncorhynchus masou</i> and <i>Oncorhynchus rhodurus</i>), Atlantic salmon (<i>Salmo salar</i>) and Danube salmon (<i>Hucho hucho</i>) | 20% | 0% | 10% | 20% | | lb |
| 0305.42.00 | 00 | --Herrings (<i>Clupea harengus</i> , <i>Clupea pallasii</i>) | 35% | 0% | 17% | 35% | | lb |
| 0305.43.00 | 00 | --Trout (<i>Salmo trutta</i> , <i>Oncorhynchus mykiss</i> , <i>Oncorhynchus clarki</i> , <i>Oncorhynchus aguabonita</i> , <i>Oncorhynchus gilae</i> , <i>Oncorhynchus apache</i> and <i>Oncorhynchus chrysogaster</i>) | 20% | 0% | 20% | 20% | | lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|------------|----|--|-----|---------|-----|------|-----|---------|
| 0305.44.00 | 00 | --Tilapias (Oreochromis spp.), catfish (Pangasius spp., Silurus spp., Clarias spp., Ictalurus spp.), carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus, Catla catla, labeobarbus hoeveni, Megalobrama spp.)eels (Anguilla spp.), Nile perch (lates niloticus) and snakeheads (channa spp.) | 20% | 0% | 20% | 20% | | lb |
| | | --Other : | | | | | | |
| 0305.49.10 | 00 | ---Cod, mackerel and alewives | 35% | 0% | 35% | 35% | | lb |
| 0305.49.90 | 00 | ---Other -Dried fish, other than edible fish offal, whether or not salted but not smoked: | 20% | 0% | 20% | 20% | | lb |
| 0305.51.00 | 00 | --Cod (Gadus morhua, Gadus ogac, Gadus macrocephalus) | 35% | 0% | 17% | 35% | | lb |
| 0305.52.00 | 00 | --Tilapias (Oreochromis spp), catfish (Pangasius spp. Silurus ssp. Clarias spp. , Ictalurus spp), carp (Cyprinus spp., Carassius spp., Ctenpharyngodon idellus, Hypohthalmichthys spp., Cirrhimus spp., Mylopharyngodon piceus, Catla catla, Labeo spp., Osteochilus hasselti, Leptobarbus hoevanti, Megalobrama spp.), eels Anguilla spp.), Nile perch (Lates niloticus) and snakeheads (Channa spp.) | 40% | 0% | 17% | 40% | | lb |
| 0305.53.00 | 00 | --Fish of the families Bregmacerotidae, Euclihthyidae, Gadidae, Macrouridae, Melanonidae, Merlucciidae, Moridae and Muraenolepididae, other than cod (gadus morhua, Gadus ogac, Gadus macrocephalus) | 40% | 0% | 17% | 40% | | lb |
| 0305.54.00 | 00 | --Herrings (Clupea harengus, Clupea pallassii), anchovies (Engragraulis spp.), sardines (Sardina pilchardus, Sardinops spp.), sardinella (Sardinella spp.), brisling or sprats (Sprattus sprattus) mackerel (Scomber scombrus, Scomber australasicus, Scomber japonicas), Indian mackerels (Rastrelliger spp.) seerfishes (Scomberomorus pp.) jack and horse mackerel (Trachurus spp.), jacks Crevalles (Caranx spp.), cobia (Rachycentron canadum), silver pomfrets(Pampus spp.), Placific saury (Coloabis saira), scads (Decapterus spp.), capelin (Mallotus villosus), swordfish (Xiphias gladius), Kawakawa (Euthynnus affinis), bonitos (Sarda spp.), marlins sailfishes spearfish (istiophoridae) | 40% | 0% | 17% | 40% | | lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|------------|----|---|-----|---------|-----|------|-----|---------|
| 0305.59.10 | 00 | --Other : ---Mackerel | 35% | 0% | 35% | 35% | | lb |
| 0305.59.21 | 00 | ---Herrings, alewives, saithe, pollock, haddock and hake: ----Alaska Pollock | 35% | 0% | 35% | 35% | | lb |
| 0305.59.29 | 00 | ----Other | 35% | 0% | 35% | 35% | | lb |
| 0305.59.90 | 00 | ---Other -Fish, salted but not dried or smoked and fish in brine, other than edible fish offal: | 20% | 0% | 20% | 20% | | lb |
| 0305.61.00 | 00 | --Herrings (<i>Clupea harengus</i> , <i>Clupea pallasii</i>) | 35% | 0% | 17% | 35% | | lb |
| 0305.62.00 | 00 | --Cod (<i>Gadus morhua</i> , <i>Gadus ogac</i> , <i>Gadus macrocephalus</i>) | 35% | 0% | 17% | 35% | | lb |
| 0305.63.00 | 00 | --Anchovies (<i>Engraulis</i> spp.) | 20% | 0% | 10% | 20% | | lb |
| 0305.64.00 | 00 | --Tilapias (<i>Oreochromis</i> spp.), catfish (<i>Pangasius</i> spp., <i>Silurus</i> spp., <i>Clarias</i> spp., <i>Ictalurus</i> spp.), carp (<i>Cyprinus</i> spp., <i>Carassius</i> spp, <i>Ctenopharyngodon idellus</i> , <i>Hypophthalmichthys</i> spp., <i>Cirrhinus</i> spp., <i>Mylopharyngodon piceus</i> , <i>Catla Catla</i> , <i>Labeo</i> spp., <i>Osteochilus hasselti</i> , <i>Leptobarbus hoeveni</i> , <i>Megalobrama</i> spp.), eels (<i>Anguilla</i> spp.), Nile perch (<i>Lates niloticus</i>) and snakeheads (<i>Channa</i> spp.) | 20% | 0% | 20% | 20% | | lb |
| 0305.69.10 | 00 | --Other: ---Mackerel | 35% | 0% | 35% | 35% | | lb |
| 0305.69.20 | 00 | ---Alewives, saithe, pollock, haddock and hake | 35% | 0% | 35% | 35% | | lb |
| 0305.69.90 | 00 | ---Other -Fish fins, heads, tails, maws and other edible fish offal: | 20% | 0% | 20% | 20% | | lb |
| 0305.71.00 | 00 | --Shark fins | 20% | 0% | 20% | 20% | | lb |
| 0305.72.00 | 00 | --Fish heads, tails and maws | 20% | 0% | 20% | 20% | | lb |
| 0305.79.00 | 00 | --other | 20% | 0% | 20% | 20% | | lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|--------------|----|--|-----|---------|-----|------|-----|---------|
| 03.06 | | Crustaceans, whether in shell or not, live, fresh, chilled, frozen, dried, salted or in brine; smoked crustaceans, whether in shell or not, whether or not cooked before or during the smoking process, crustaceans in shell cooked by steaming or by boiling in water, whether or not chilled, frozen, dried, salted or in brine; flours, meals and pellets of crustaceans, fit for human consumption. | | | | | | |
| | | -Frozen: | | | | | | |
| 0306.11.00 | 00 | --Rock lobster and other sea crawfish (Palinurus spp., Panulirus spp., Jasus spp.) | 40% | 0% | 40% | 40% | | lb |
| 0306.12.00 | 00 | --Lobsters (Homarus spp.) | 40% | 0% | 40% | 40% | | lb |
| 0306.14.00 | 00 | --Crabs | 40% | 0% | 40% | 40% | | lb |
| 0306.15.00 | 00 | --Norway lobsters (Nephrops norvegicus) | 40% | 0% | 40% | 40% | | lb |
| 0306.16.00 | 00 | --Cold-water shrimps and prawns (Pandalus spp., Crangon crangon) | 40% | 0% | 40% | 40% | | lb |
| 0306.17.00 | 00 | --Other shrimps and prawns | 40% | 0% | 40% | 40% | | lb |
| 0306.19.00 | 00 | --Other, including flours, meals and pellets of crustaceans, fit for human consumption | 40% | 0% | 40% | 40% | | lb |
| | | -Live fresh or chilled: | | | | | | |
| | | --Rock lobster and other sea crawfish (Palinurus spp., Panulirus spp., Jasus spp.) | | | | | | |
| 0306.31.10 | 00 | --- Live, for breeding or rearing | 0% | 0% | 0% | 0% | | lb |
| 0306.31.90 | 00 | --- Other | 40% | 0% | 40% | 40% | | lb |
| | | --Lobsters (Homarus spp.): | | | | | | |
| 0306.32.10 | 00 | ---Live, for breeding or rearing | 0% | 0% | 0% | 0% | | lb |
| 0306.32.90 | 00 | --- Other | 40% | 0% | 40% | 40% | | lb |
| 0306.33.00 | 00 | --Crabs | 40% | 0% | 40% | 40% | | lb |
| 0306.34.00 | 00 | --Norway Lobsters (Nephrops norvegicus) | 40% | 0% | 40% | 40% | | lb |
| | | --Cold-water shrimps and prawns (Pandalus spp., Crangon crangon) | | | | | | |
| 0306.35.10 | 00 | --- Live, for breeding or rearing | 0% | 0% | 0% | 0% | | lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|--------------|----|--|-----|---------|-----|------|-----|---------|
| 0306.35.30 | 00 | --- Other, cultured | 40% | 0% | 40% | 40% | | lb |
| 0306.35.90 | 00 | --- Other, wild | 40% | 0% | 40% | 40% | | lb |
| | | --Other shrimps and prawns | | | | | | |
| 0306.36.10 | 00 | --- Live, for breeding or rearing | 0% | 0% | 0% | 0% | | lb |
| 0306.36.30 | 00 | --- Other cultured | 40% | 0% | 40% | 40% | | lb |
| 0306.36.90 | 00 | --- Other, wild | 40% | 0% | 40% | 40% | | lb |
| | | --Other, including flours, meals and pellets of crustaceans, fit for consumption | | | | | | |
| 0306.39.10 | 00 | ---Live, for breeding or rearing | 0% | 0% | 0% | 0% | | lb |
| 0306.39.90 | 00 | ---Other | 40% | 0% | 40% | 40% | | lb |
| | | -Other | | | | | | |
| 0306.91.00 | 00 | --Rock lobster and other sea crawfish (Palinurus spp, Panulirus spp.Jasus spp.) | 40% | 0% | 40% | 40% | | lb |
| 0306.92.00 | 00 | --Lobsters (Homarus spp.) | 40% | 0% | 40% | 40% | | lb |
| 0306.93.00 | 00 | --Crabs | 40% | 0% | 40% | 40% | | lb |
| 0306.94.00 | 00 | --Norway Lobsters (Nephrops norvegicus) | 40% | 0% | 40% | 40% | | lb |
| 0306.95.00 | 00 | --Shrimps and prawns | 40% | 0% | 40% | 40% | | lb |
| 0306.95.10 | 00 | --Other shrimp and prawns | 40% | 0% | 40% | 40% | | lb |
| | | --Other, including flours meals and pellets of crustaceans, fit for human consumption | | | | | | |
| 0306.99.10 | 00 | --- Live, for breeding or rearing | 0% | 0% | 0% | 0% | | lb |
| 0306.99.90 | 00 | ---Other | 40% | 0% | 40% | 40 % | | lb |
| 03.07 | | Molluscs, whether in shell or not, live, fresh, chilled, frozen, dried, salted or in brine; smoked molluscs, whether in shell or not, whether or not cooked before or during the smoking process; flours, meals and pellets of molluscs, fit for human consumption. | | | | | | |
| | | -Oysters: | | | | | | |
| | | --Live, fresh or chilled | | | | | | |
| 0307.11.10 | 00 | ---For breeding or rearing | 0% | 0% | 0% | 0% | | lb |
| 0307.11.90 | 00 | ---Other | 40% | 0% | 27% | 40% | | lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|------------|----|--|------|---------|------|------|-----|---------|
| 0307.12.00 | 00 | --Frozen | 40% | 0% | 27% | 40% | | lb |
| 0307.19.00 | 00 | --Other -Scallops, including queen scallops, of the genera Pecten, Chlamys or Placopecten: | 40% | 0% | 27% | 40% | | lb |
| 0307.21.00 | 00 | --Live, fresh or chilled | 40% | 0% | 24% | 40% | | lb |
| 0307.22.00 | 00 | --Frozen | 40% | 0% | 24% | 40% | | lb |
| 0307.29.00 | 00 | --Other -Mussels (Mytilus spp., Perna spp.): | 40% | 0% | 24% | 40% | | lb |
| 0307.31.00 | 00 | --Live, fresh or chilled | 40% | 0% | 24% | 40% | | lb |
| 0307.32.00 | 00 | --Frozen | 40% | 0% | 24% | 40% | | lb |
| 0307.39.00 | 00 | --Other -Cuttle fish(<i>Sepia officinalis</i> , <i>Rossia macrosma</i> , <i>Sepiola</i> spp.) and squid (Ommastrephes spp., Loligo spp., Nototodarus spp., Sepioteuthis spp.): | 40% | 0% | 24% | 40% | | lb |
| 0307.42.10 | 00 | --Live, fresh or chilled: ---For breeding or rearing | Free | Free | Free | Free | | lb |
| 0307.42.90 | 00 | ---Other | 40% | 0% | 24% | 40% | | lb |
| 0307.43.00 | 00 | --Frozen | 40% | 0% | 24% | 40% | | lb |
| 0307.49.00 | 00 | --Other -Octopus (Octopus spp.): | 40% | 0% | 24% | 40% | | lb |
| 0307.51.00 | 00 | --Live, fresh or chilled | 40% | 0% | 24% | 40% | | lb |
| 0307.52.00 | 00 | --Frozen | 40% | 0% | 24% | 40% | | lb |
| 0307.59.00 | 00 | --Other | 40% | 0% | 24% | 40% | | lb |
| 0307.60.00 | 00 | -Snails, other than sea snails -Clams, cockles and ark shells (families Arcidae, Arctiidae, Cardiidae, Donacidae, Hiatellidae, Mactridae, Mesodesmatidae, Myidae, Semelidae, Solecurtidae, Solenadae, Tridacnidae and Veneradae): | 40% | 0% | 0% | 40% | | lb |
| 0307.71.00 | 00 | --Live, fresh or chilled | 40% | 0% | 40% | 40% | | lb |
| 0307.72.00 | 00 | --Frozen | 40% | 0% | 40% | 40% | | lb |
| 0307.79.00 | 00 | --Other | 40% | 0% | 40% | 40% | | lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|--------------|----|---|-----|---------|-----|------|-----|---------|
| 0307.81.00 | 00 | -Abalone (Haliotis spp.): and stromboid conchs (Strombus spp.): --Live, fresh or chilled abalone (Haliotis spp.) | 40% | 0% | 40% | 40% | | lb |
| | | --Live, fresh or chilled stromboid conchs (Strombus spp.) | | | | | | |
| 0307.82.10 | 00 | ---For breeding or rearing | 0% | 0% | 0% | 0% | | lb |
| 0307.82.90 | 00 | ---Other | 40% | 0% | 40% | 40% | | lb |
| 0307.83.00 | 00 | --Frozen abalone (Haliotis spp.) | 40% | 0% | 40% | 40% | | lb |
| 0307.84.00 | 00 | --Frozen stromboid conchs (Strombus spp.) | 40% | 0% | 40% | 40% | | lb |
| 0307.87.00 | 00 | --Other abalone (Haliotis spp.) | 40% | 0% | 40% | 40% | | lb |
| 0307.88.00 | 00 | --Other stromboid conchs (Strombus spp.) | 40% | 0% | 40% | 40% | | lb |
| | | -Other, including flours, meals and pellets, fit for human consumption: --Live, fresh or chilled | | | | | | |
| 0307.91.10 | 00 | ---Conch | 40% | 0% | 27% | 40% | | lb |
| | | ---Other mollusc | | | | | | |
| 0307.91.21 | 00 | ----For breeding | 0% | 0% | 0% | 0% | | lb |
| 0307.91.29 | 00 | ----Other | 40% | 0% | 27% | 40% | | lb |
| 0307.92.00 | 00 | --Frozen | 40% | 0% | 27% | 40% | | lb |
| | | --Other: | | | | | | |
| 0307.99.10 | 00 | ---Sea –eggs | 40% | 0% | 19% | 40% | | lb |
| 0307.99.20 | 00 | ---Conch | 40% | 0% | 19% | 40% | | lb |
| 0307.99.90 | 00 | --- Other, including flours, meals and pellets fit for human consumption | 40% | 0% | 19% | 40% | | lb |
| 03.08 | | Aquatic invertebrates other than crustaceans and molluscs, live, fresh, chilled, frozen, dried, salted or in brine; smoked aquatic invertebrates other than crustaceans and molluscs, whether or not cooked before or during the smoking process; flours, meals and pellets of aquatic invertebrates other than crustaceans and molluscs, fit for human consumption. | | | | | | |
| | | -Sea cucumbers (Stichopus joponicus,Holothuroidea): | | | | | | |
| 0308.11.00 | 00 | --Live, fresh or chilled | 40% | 0% | 40% | 40% | | lb |

| HEADING | BZ | DESCRIPTION OF GOODS | MFN | CARICOM | EPA | GUAT | SAL | UNIT(S) |
|------------|----|--|-----|---------|-----|------|-----|---------|
| 0308.12.00 | 00 | --Frozen | 40% | 0% | 40% | 40% | | lb |
| 0308.19.00 | 00 | --Other | 40% | 0% | 40% | 40% | | lb |
| | | -Sea urchins (Strongylocentrotus spp., Paracentrotus lividus, Loxechinus albus, Echinus esculentus): | | | | | | |
| 0308.21.00 | 00 | --Live, fresh or chilled | 40% | 0% | 40% | 40% | | lb |
| 0308.22.00 | 00 | --Frozen | 40% | 0% | 40% | 40% | | lb |
| 0308.29.00 | 00 | --Other | 40% | 0% | 40% | 40% | | lb |
| 0308.30.00 | 00 | -Jellyfish (Rhopilema spp.) | 40% | 0% | 40% | 40% | | lb |
| 0308.90.00 | 00 | -Other | 40% | 0% | 40% | 40% | | lb |

