CHAPTER 74

COPPER AND ARTICLES THEREOF

Notes.

1. In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Refined copper

Metal containing at least 99.85% by weight of copper; or Metal containing at least 97.5% by weight of copper, provided that the content by weight of any other element does not exceed the limit specified in the following table:

TABLE - Other elements

	Element	Limiting content % by weight				
As Cd Cr Mg Pb S Sn Te Zn Zr	Silver Arsenic Cadmium Chromium Magnesium Lead Sulphur Tin Tellurium Zinc Zirconium	0.25 0.5 1.3 1.4 0.8 1.5 0.7 0.8 0.8 1 0.3				
Other elements *, each		0.3				

^{*}Other elements are for example, Al, Be, Co, Fe, Mn, Ni, Si.

(b) Copper alloys

Metallic substances other than unrefined copper in which copper predominates by weight over each of the other elements, provided that:

- (i) the content by weight of at least one of the other elements is greater than the limit specified in the foregoing table; or
- (ii) the total content by weight of such other elements exceeds 2.5%.

(c) Master alloys

Alloys containing with other elements more than 10% by weight of copper, not usefully malleable and commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurising agents or for similar uses in the metallurgy of non-ferrous metals. However, copper phosphide (phosphor copper) containing more than 15% by weight of phosphorus falls in heading 28.53.

(d) Bars and rods

Rolled, extruded, drawn or forged products, not in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross-section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross-section exceeds one-tenth of the width. The expression also covers cast or sintered products, of the same forms and dimensions, which have been subsequently worked after production (otherwise than by simple trimming or de-scaling), provided that they have not thereby assumed the character of articles or products of other headings.

Wire-bars and billets with their ends tapered or otherwise worked simply to facilitate their entry into machines for converting them into, for example, drawing stock (wire-rod) or tubes, are however to be taken to be unwrought copper of heading 74.03.

(e) Profiles

Rolled, extruded, drawn, forged or formed products, coiled or not, of a uniform cross-section along their whole length, which do not conform to any of the definitions of bars, rods, wire, plates, sheets, strip, foil, tubes or pipes. The expression also covers cast or sintered products, of the same forms, which have been subsequently worked after production (otherwise than by simple trimming or de-scaling), provided that they have not thereby assumed the character of articles or products of other headings.

(f) Wire

Rolled, extruded or drawn products, in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross-section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross-section exceeds one-tenth of the width.

(g) Plates, sheets, strip and foil

Flat-surfaced products (other than the unwrought products of heading 74.03), coiled or not, of solid rectangular (other than square) cross-section with or without rounded corners (including "**modified rectangles**" of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel) of a uniform thickness, which are:

- of rectangular (including square) shape with a thickness not exceeding one-tenth of the width,
- of a shape other than rectangular or square, of any size, provided that they do not assume the character of articles or products of other headings.

Headings 74.09 and 74.10 apply, *inter alia*, to plates, sheets, strip and foil with patterns (for example, grooves, ribs, chequers, tears, buttons, lozenges) and to such products which have been perforated, corrugated, polished or coated, provided that they do not thereby assume the character of articles or products of other headings.

(h) Tubes and pipes

Hollow products, coiled or not, which have a uniform cross-section with only one enclosed void along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons, and which have a uniform wall thickness. Products with a rectangular (including square), equilateral triangular or regular convex polygonal cross-section, which may have corners rounded along their whole length, are also to be taken to be tubes and pipes provided the inner and outer cross-sections are concentric and have the same form and orientation. Tubes and pipes of the foregoing cross-sections may be polished, coated, bent, threaded, drilled, waisted, expanded, cone-shaped or fitted with flanges, collars or rings.

Subheading Note.

1. In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Copper-zinc base alloys (brasses)

Alloys of copper and zinc, with or without other elements. When other elements are present:

- zinc predominates by weight over each of such other elements; any nickel content by weight is less than 5% (see copper-nickel-zinc alloys (nickel silvers)); and
- any tin content by weight is less than 3% (see copper-tin alloys (bronzes)).

(b) Copper-tin base alloys (bronzes)

Alloys of copper and tin, with or without other elements. When other elements are present, tin predominates by weight over each of such other elements, except that when the tin content is 3% or more the zinc content by weight may exceed that of tin but must be less than 10%.

(c) Copper-nickel-zinc base alloys (nickel silvers)

Alloys of copper, nickel and zinc, with or without other elements. The nickel content is 5% or more by weight (see copper-zinc alloys (brasses)).

(d) Copper-nickel base alloys

Alloys of copper and nickel, with or without other elements but in any case containing by weight not more than 1% of zinc. When other elements are present, nickel predominates by weight over each of such other elements.

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
7401.00.00	00	Copper mattes; cement copper (precipitated copper).	0%	0%	0%	0%		cwt
7402.00.00	00	Unrefined copper; copper anodes for electrolytic refining.	0%	0%	0%	0%		cwt
74.03		Refined copper and copper alloys, unwroughtRefined copper:						
7403.11.00	00	Cathodes and sections of cathodes	0%	0%	0%	0%		cwt
7403.12.00	00	Wire-bars	0%	0%	0%	0%		cwt
7403.13.00	00	Billets	0%	0%	0%	0%		cwt
7403.19.00	00	Other	0%	0%	0%	0%		cwt
		-Copper alloys:						
7403.21.00	00	Copper-zinc base alloys (brass)	0%	0%	0%	0%		cwt
7403.22.00	00	Copper-tin base alloys (bronze)	0%	0%	0%	0%		cwt
7403.29.00	00	Other copper alloys (other than master alloys of heading. 74.05).	0%	0%	0%	0%		cwt
7404.00.00	00	Copper waste and scrap.	0%	0%	0%	0%		cwt
7405.00.00	00	Master alloys of copper.	0%	0%	0%	0%		cwt
74.06		Copper powders and flakes.						
7406.10.00	00	-Powders of non-lamellar structure	0%	0%	0%	0%		lb
7406.20.00	00	-Powders of lamellar structure; flakes	0%	0%	0%	0%		lb
		, , , , , , , , , , , , , , , , , , ,						
74.07		Copper bars, rods and profiles.						
7407.10.00	00	-Of refined copper	0%	0%	0%	0%		cwt
		-Of copper alloys:						
7407.21.00	00	Of copper-zinc base alloys (brass)	0%	0%	0%	0%		cwt
7407.29.00	00	Other	0%	0%	0%	0%		cwt

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
74.08		Copper wire.						
7408.11.00	00	-Of refined copper:Of which the maximum cross-sectional dimension exceeds 6 mm	0%	0%	0%	0%		cwt
7408.11.00	00	Other	0%	0%	0%	0%		cwt
7 100.10.00		-Of copper alloys:	070	0 70	0 70	070		
7408.21.00	00	Of copper-zinc base alloys (brass)	0%	0%	0%	0%		cwt
7408.22.00	00	Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)	0%	0%	0%	0%		cwt
7408.29.00	00	Other	0%	0%	0%	0%		cwt
74.09		Copper plates, sheets and strip, of a thickness exceeding 0.15 mmOf refined copper:						
7409.11.00	00	In coils	5%	0%	0%	5%		cwt
7409.19.00	00	Other -Of copper-zinc base alloys (brass):	5%	0%	0%	5%		cwt
7409.21.00	00	In coils	5%	0%	0%	5%		cwt
7409.29.00	00	Other -Of copper-tin base alloys (bronze):	5%	0%	0%	5%		cwt
7409.31.00	00	In coils	5%	0%	0%	5%		cwt
7409.39.00	00	Other	5%	0%	0%	5%		cwt
7409.40.00	00	-Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)	5%	0%	0%	5%		cwt
7409.90.00	00	-Of other copper alloys	5%	0%	0%	5%		cwt

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	.EPA	GUAT	SAL	UNIT(S)
74.10		Copper foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0.15 mmNot backed:						
7410.11.00 7410.12.00		Of refined copper Of copper alloys -Backed:	5% 5%	0% 0%	0% 0%	5% 5%		lb lb
7410.21.00 7410.22.00	00 00	Of refined copper Of copper alloys	5% 5%	0% 0%	0% 0%	5% 5%		lb lb
74.11 7411.10.00 7411.21.00 7411.22.00 7411.29.00	00 00	Copper tubes and pipes. -Of refined copper -Of copper alloys:Of copper-zinc base alloys (brass)Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)Other	5% 5% 5%	0% 0% 0% 0%	0% 0% 0%	5% 5% 5%		cwt cwt cwt
74.12 7412.10.00 7412.20.00		Copper tube or pipe fittings (for example, couplings, elbows, sleeves)Of refined copper -Of copper alloys	5% 5%	0% 0%	0% 0%	5% 5%		cwt cwt

HEADING	BZ	DESCRIPTION OF GOODS	MFN	CARICOM	.EPA	GUAT	SAL	UNIT(S)
7413.00.00	00	Stranded wire, cables, plaited bands and the like, of copper, not electrically insulated.	5%	0%	0%	5%		cwt
[74.14]		(Deleted)						
74.15		Nails, tacks, drawing pins, staples (other than those of heading 83.05) and similar articles, of copper or of iron or steel with heads of copper; screws, bolts, nuts, screw hooks, rivets, cotters, cotter-pins, washers (including spring washers) and similar articles, of copper.						
7415.10.00	00	-Nails and tacks, drawing pins, staples and similar articles -Other articles, not threaded:	5%	0%	0%	5%		cwt
7415.21.00 7415.29.00	00 00	Washers (including spring washers)Other -Other threaded articles:	5% 5%	0% 0%	0% 0%	5% 5%		cwt cwt
7415.33.00 7415.39.00	00 00	Screws; bolts and nuts Other	5% 5%	0% 0%	0% 0%	5% 5%		cwt cwt
[74.16]		(Deleted)						
[74.17]		(Deleted)						
74.18		Table, kitchen or other household articles and parts thereof, of copper; pot scourers and scouring or polishing pads, gloves and the like, of copper; sanitary ware and parts thereof, of copper.						
7418.10.00	00	-Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like:	20%	0%	8%	20%		lb

HEADING	BZ	DESCRIPTION OF GOODS	_MFN	CARICOM	EPA	GUAT	SAL	UNIT(S)
7418.20.00	00	-Sanitary ware and parts thereof	20%	0%	8%	20%		lb
74.19 7419.10.00	00	Other articles of copperChain and parts thereof -Other:	5%	0%	0%	5%		cwt
7419.91.00	00	Cast, moulded, stamped or forged, but not further workedOther:	5%	0%	0%	5%		cwt
7419.99.10 7419.99.90	00 00	Copper springs Other	5% 5%	0% 0%	0% 0%	5% 5%		cwt cwt